



**W WELDING  
P + SAFETY  
P PRODUCTS**

**2021**

FEATURING

**JACKSON<sup>®</sup>**  
SAFETY

***sellstrom***<sup>®</sup>

[surewerx.com](http://surewerx.com)

*sellstrom*®


**JACKSON**®  
SAFETY



**Be Smart. Be Safe. Be Sure.™**



## TABLE OF CONTENTS



370 SPEED DIAL .....	4-5
FACE PROTECTION .....	6-27
EYE PROTECTION—SAFETY GLASSES .....	28-41
EYE PROTECTION—GOGGLES .....	42-49
GERMICIDAL CABINETS .....	50-51
EYEWEAR & EQUIPMENT CLEANING PRODUCTS .....	52-53
EMERGENCY EYEWASH PRODUCTS .....	54-55
HEARING PROTECTION .....	56-65
HEAD PROTECTION .....	66-71
RESPIRATORY PROTECTION .....	72-73
KNEE PROTECTION .....	74-77
WELDING HELMETS, FILTERS, & PLATES .....	78-105
PIPE & TOOL MARKING ACCESSORIES .....	106-109

# YOUR BEST WORK YET... NEEDS YOUR TOTAL FOCUS

The safety and productivity of every professional worker is our goal. Our mission is to design products that deliver on this goal. We are always finding better ways to help increase worker productivity and safety.



Every day, hundreds of professional workers are injured at work—industrial accidents are avoidable.



Our goal is to ensure that you return home after a safe and productive day at work in the same healthy condition as you went to work.



Legislation and regulation continue to increase safety at work, and all of our products will meet or exceed the necessary levels.



We will also work to ensure that all of our distributors receive product knowledge training to ensure they provide the right product for the right application. We are committed to understanding the needs of the professional end users.



When workers are confident that their PPE is designed with their health and safety in mind, they can concentrate on the job at hand, achieving maximum productivity.

## ACCIDENTS INJURIES RISK

Reduce ● ● ●



Increase . . .



HEALTH  
SAFETY  
PRODUCTIVITY





## THE WORLD'S GREATEST Ratcheting Headgear System—Period.



Our patented Jackson Safety<sup>®</sup> **370 Speed Dial**<sup>™</sup> offers the fastest, easiest, and most efficient ratcheting headgear system in the industry today!

The 370 Speed Dial<sup>™</sup> incorporates two unique designs—an oversized ratcheting adjuster knob, and a patented "quick-fit" rear headband that swivels up and down.

Together, these two features combine to achieve a perfect fit every time, increasing safety, productivity, and satisfaction.

Try any of our industry-leading Jackson Safety<sup>®</sup> products that incorporate our famous 370 Speed Dial<sup>™</sup> and experience the difference yourself!

**370**  
SPEED DIAL™

The 370 Speed Dial™ ratcheting headgear can be found on these exclusive Jackson Safety® industry-leading products. More new products coming soon!

370 SPEED DIAL

**Jackson Face Shields**



Quad 500



Maxview



F4XP

**ADF Welding Helmets**



Translight+ 555



Translight 455 Flip



HSL (Shadow)



HLX (Halo X)

**Passive Welding Helmets**



HSL-1 (Shadow)



HSL-2 (Shadow)



HSL-100 (Shadow)

**Hard Hats**



SC-6 Series

**Jackson Safety®**

Your First Choice for Premium Safety Products for Over 90 Years!

PLEASE NOTE: OUR SC-6 HARD HATS USE A MODIFIED VERSION OF THE FACE SHIELD/WELDING HELMET VERSION SHOWN. ALL PRODUCTS FEATURE THE EXCLUSIVE 370 SPEED DIAL™ FOR "EASY GRIP-EASY TURN" ADJUSTMENT.



**JACKSON**<sup>®</sup>  
SAFETY

*sellstrom*<sup>®</sup>

# SHIELDING YOU FROM THE ELEMENTS



FACE PROTECTION

Optional shades 5 and 8 flip-up visors deliver unmatched versatility and uninterrupted protection

Extra-large anti-fog window provides superior panoramic view

Extra-large crown provides added top-of-head protection

**370™**  
**SPEED DIAL**

370 Speed Dial™ headgear achieves maximum comfort and fit

Integrated side and chin guard for maximum protection against splashes and flying debris

14230

## QUAD 500® FACE SHIELDS SUPREME MULTI-PURPOSE

**FOG FREE!**

Hard Hat  
Interchange  
system  
available



### Quad 500® Multi-Purpose Face Shield System

- Jackson Safety® introduces the-all new **Quad 500** multi-purpose face shield, our premium face protection product
- The Quad 500 offers an unparalleled range of face and eye protection solutions for almost every application including grinding, cutting, oxy/acetylene cutting, plasma cutting, and brazing
- All Quad 500 products have been designed to offer maximum above-the-neck face protection, including an extra-large moulded polycarbonate window featuring our premium Sta-Clear® anti-fog coating
- For added protection, the moulded window is completely framed on the sides and chin and features an extra-large crown
- The Quad 500 offers exceptional panoramic views with virtually no distortion



# FACE SHIELDS—SUPREME MULTI-PURPOSE

## Featuring the exclusive Jackson Safety® 370 Speed Dial™ ratcheting headgear system!



- The Quad 500® features the Jackson Safety® 370 Speed Dial™ ratcheting headgear system—an industry best!
- The 370 Speed Dial™ is highlighted by Jackson's famous "Easy Grab-Easy Turn" oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently—saves time, increases productivity, and improves worker safety!

## Available with Optional Flip-Up/Flip-Down Extra-Large IR Window

- The Quad 500® face shield is also available with an exclusive, extra-large flip-up/flip-down IR window for added eye protection when used in applications producing infrared hazards
- It's easy and safe—by keeping the Quad 500 clear window in the down position at all times, the operator can flip the IR shaded window up or down, providing uninterrupted face protection during cutting and grinding operations
- Flip windows available in:
  - **Shade 5 IR** for oxy/acetylene cutting, brazing, and plasma cutting
  - **Shade 8 IR** for oxy/acetylene welding and plasma cutting
- Both the clear and flip windows feature detents that lock in both the up and down positions
- Designed to be used with most goggles, respirators, and all safety glasses
- Two available mounting options:
  - Complete with Jackson Safety's premium 370 Speed Dial™ ratcheting headgear suspension
  - For mounting on slotted hard hats, assembled with Jackson Safety's exclusive HHIS slot adaptors
- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models 14220, 14225, 14230, 14233, 14235 CSA certified to CAN/CSA Z94.3 standards
- Models 14220, 14230, 14233 CE certified



FACE PROTECTION




14220



14230



14220



PLEASE NOTE: ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.



14220



14225



14230/14233



14235

## FACE SHIELDS—SUPREME MULTI-PURPOSE

### Quad 500<sup>®</sup> Series—Crown, Window, and 370 Speed Dial™ Ratcheting Headgear



Face shield comes with:

- Stylish crown and wraparound face shield frame
- Premium moulded polycarbonate AF window
- 370 Speed Dial™ premium ratcheting headgear suspension

PROD. NO.	Crown	Suspension	Window	Coatings	Chin & Side Guard	Case Qty.
14220	Black	Ratcheting	Clear	Anti-Fog	Yes	4

### Quad 500<sup>®</sup> Series—Crown, Window, and HHIS Universal Hard Hat Slot Adaptor



Face shield comes with:

- Stylish crown and wraparound face shield frame
- Premium moulded polycarbonate AF window
- Exclusive Jackson Safety® HHIS universal slot hard hat adaptor
- Fits most slotted hard hats

PROD. NO.	Crown	Suspension	Window	Coatings	Chin & Side Guard	Case Qty.
14225	Black	Universal Adaptor	Clear	Anti-Fog	Yes	4

### Quad 500<sup>®</sup> Series—c/w Flip-Up IR Visor and 370 Speed Dial™ Ratcheting Headgear



Multi-purpose face shield comes with:

- Stylish crown and wraparound face shield frame
- Premium moulded polycarbonate AF window
- Extra-large flip-up/flip-down IR visor
- 370 Speed Dial™ premium ratcheting headgear suspension

PROD. NO.	Crown	Suspension	Window	Coatings	Flip Visor	Chin & Side Guard	Case Qty.
14230	Black	Ratcheting	Clear	Anti-Fog	Shade 5 IR	Yes	4
14233	Black	Ratcheting	Clear	Anti-Fog	Shade 8 IR	Yes	4

### Quad 500<sup>®</sup> Series—c/w Flip-Up IR Visor and HHIS Universal Hard Hat Slot Adaptor



Multi-purpose face shield comes with:

- Stylish crown and wraparound face shield frame
- Premium moulded polycarbonate AF window
- Extra-large flip-up/flip-down IR visor
- Exclusive Jackson Safety® HHIS universal slot hard hat adaptor
- Fits most slotted hard hats

PROD. NO.	Crown	Suspension	Window	Coatings	Flip Visor	Chin & Side Guard	Case Qty.
14235	Black	Universal Adaptor	Clear	Anti-Fog	Shade 5 IR	Yes	4

# FACE SHIELDS—SUPREME MULTI-PURPOSE



FACE PROTECTION

## Quad 500® Series Replacement Windows & Parts

PROD. NO.	Description	Fits Models	Case Qty.
14250	8.58" x 8.24" x .060" Clear Anti-Fog Window	All Quad 500 Models	12
14255	4.375" x 9.25" x .070" Shade 5 IR Visor	All Quad 500 Models	12
14258	4.375" x 9.25" x .070" Shade 8 IR Visor	All Quad 500 Models	12
20694	370 Face Shield Headgear	14220, 14230, 14233	12
38423	HHIS Face Shield Hard Hat Adaptor	14225, 14235	12
32187	Replaceable washable sweatband - 2/pack	14220, 14230, 14233	24



14250



14255/14258



20694



38423



**PLEASE NOTE:** ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.



## DP4 FACE SHIELDS PREMIUM MULTI-PURPOSE

### DP4 Multi-Purpose Face Shield System

- Sellstrom's exclusive multi-purpose **DP4** face shield system has been an industry leader for more than 15 years
- The DP4 offers an incredible range of face protection solutions

### DP4 Face Shield Only

- As a standard face shield, the DP4's specially designed moulded polycarbonate window curves naturally to fit facial contours
- Offers exceptional panoramic views with virtually no distortion
- Window meets high-impact standards and is chemical resistant
- Standard DP4 face shields feature a premium ratcheting headgear for maximum operator comfort and convenience

**FOG FREE!**



# FACE SHIELDS—PREMIUM MULTI-PURPOSE

## DP4 Face Shield with Flip-Up/Flip-Down IR Windows

- The DP4 face shield is also available featuring a unique spring-mounted flip-up/flip-down IR window (4.375" x 9.25" x .070")
- It's easy and safe—by keeping the full-size DP4 clear window in the down position at all times, the operator can flip the spring-mounted IR Shaded window up or down, providing uninterrupted face protection during cutting and grinding operations
- Flip visor available in:
  - **Shade 5 IR** for: oxy/acetylene cutting, brazing, and plasma cutting
  - **Shade 8 IR** for: oxy/acetylene welding and plasma cutting
- DP4 multi-purpose face shields are available with premium ratcheting headgear suspension

## DP4 Safety Standards

- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models S32010, S32210, S32151, S32181, S32251, S32281  
CSA certified to CAN/CSA Z94.3 standards
- Model S32010 CE certified



**sellstrom**®

FACE PROTECTION



S32151



S32251

**PLEASE NOTE:** ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.



S32010



S32210



S32151/S32181



S32251/S32281

**FACE SHIELDS—PREMIUM MULTI-PURPOSE**

**DP4 Series—Crown, Window, and Ratcheting Headgear Only**

Face shield comes with:

- Stylish crown
- Full 9" x 12.125" x .060" moulded polycarbonate AF window
- Premium ratcheting headgear suspension (S32011)

PROD. NO.	Crown	Suspension	Window	Coatings	Chin Guard	Case Qty.
<b>S32010</b>	Black	Ratcheting	Clear	Anti-Fog	No	4
<b>S32210</b>	Black	Ratcheting	Clear	Anti-Fog	Yes	4

**DP4 Series—c/w Flip-Up IR Visor, and Ratcheting Headgear**

Multi-purpose face shields come with:

- Stylish crown
- Full 9" x 12.125" x .060" molded polycarbonate AF window
- 4.375" x 9.25" x .070" flip-up/flip-down IR visor
- Premium ratcheting headgear suspension (S32011)

PROD. NO.	Crown	Suspension	Window	Coatings	Flip Visor	Chin Guard	Case Qty.
<b>S32151</b>	Black	Ratcheting	Clear	Anti-Fog	Shade 5 IR	No	4
<b>S32181</b>	Black	Ratcheting	Clear	Anti-Fog	Shade 8 IR	No	4
<b>S32251</b>	Black	Ratcheting	Clear	Anti-Fog	Shade 5 IR	Yes	4
<b>S32281</b>	Black	Ratcheting	Clear	Anti-Fog	Shade 8 IR	Yes	4

# FACE SHIELDS—PREMIUM MULTI-PURPOSE

## DP4 Series Replacement Windows, and Parts

PROD. NO.	Description	Fits Models	Case Qty.
<b>S32000</b>	Black Crown (only) for Standard Face Shields	All Standard Face Shields	12
<b>S32001</b>	Black Crown (only) for Flip Front Visor Models	All Flip-Up Face Shields	10
<b>S32011</b>	Replacement Ratcheting Headgear	S32010, S32151, S32181, S32210, S32251, S32281	10
<b>S32100</b>	9" X 12.125" X .060" Clear Anti-Fog Window	All DP4 Models	120
<b>S32155</b>	4.375" x 9.25" x .070" Shade 5 IR Visor	S32151, S32153, S32251	120
<b>S32188</b>	4.375" x 9.25" x .070" Shade 8 IR Visor	S32181, S32183, S32281	120



S32000



S32011



S32155/S32188

**PLEASE NOTE:** ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.

FACE PROTECTION

SELLSTROM

Extended top-of-head coverage protects against hazards from above

Extra-large polycarbonate window for superior optics and industry-leading panoramic views

Available with premium Sta-Clear® anti-fog coating

Built-in side and chin guard protects against splashes and flying debris

14200



Lightweight and balanced construction for all-day comfort

Up and down detents lock securely in place until manually adjusted

**370**  
SPEED DIAL™

370 Speed Dial™ headgear achieves maximum comfort and fit

# MAXVIEW™ FACE SHIELDS PREMIUM

## Maxview™ Face Shield System

- Jackson Safety® introduces the all-new **Maxview** face shield, a premium face protection product
- The Maxview is designed to offer maximum face protection coverage, incorporating an extra-large clear polycarbonate window that is available in two options: without anti-fog treatment or with our premium Sta-Clear® anti-fog coating
- The high-impact PC window is then framed on the side and chin areas and features an extra-large crown
- This combination translates into maximum coverage, head to lower neck, and side to side. In fact, Maxview offers a full 1" of extra window protection on each side (2" total) versus the leading face shield model, ensuring best-in-class protection and exceptional panoramic views. Check and compare!
- Given its amazing coverage and viewing area, the Maxview is incredibly light
- Maxview incorporates engineered detents that lock in both the up and down positions
- Designed to be used with most goggles, respirators, and all safety glasses
- Complete with Jackson Safety's premium 370 Speed Dial™ ratcheting headgear suspension



14200/14201



# FACE SHIELDS—PREMIUM

## Maxview™ Series—Crown, Window, and 370 Speed Dial™ Ratcheting Headgear

Face shield comes with:

- Extra-large stylish crown and wraparound face shield frame
- High-impact polycarbonate window (with or without anti-fog)
- 370 Speed Dial™ premium ratcheting headgear suspension



PROD. NO.	Crown	Suspension	Window	Coatings	Chin & Side Guard	Case Qty.
14200	Black	Ratcheting	Clear	None	Yes	4
14201	Black	Ratcheting	Clear	Anti-Fog	Yes	4

## Maxview™ Series Replacement Windows & Parts

PROD. NO.	Description	Fits Models	Case Qty.
14214	Clear replacement window	All Maxview Models	36
14215	Clear replacement window—Anti-fog	All Maxview Models	36
20695	370 Speed Dial replacement headgear	14200, 14201	12
32187	Replaceable washable sweatband - 2/pack	14200, 14201	24

### Featuring the exclusive Jackson Safety® 370 Speed Dial™ ratcheting headgear system!

- The Maxview face shield features the Jackson Safety® 370 Speed Dial™ ratcheting headgear system—an industry best!
- The 370 Speed Dial™ is highlighted by Jackson’s famous “Easy Grab-Easy Turn” oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently—saves time, increases productivity, and improves worker safety!
- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models 14200, 14201 CSA certified to CAN/CSA Z94.3 standards
- Models 14200, 14201 CE certified



FACE PROTECTION



14200/14201



14200/14201



14214, 14215



20695



PLEASE NOTE: ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.

JACKSON SAFETY



## 380 FACE SHIELDS PREMIUM DUAL CROWN



### 380 Series Face Shields

- Sellstrom's **380 Series** "Dual Crown" face shields have been the industry standard for decades
- **Made in the USA**, these premium face shields are manufactured using superior, extra-wide polycarbonate windows
- Anti-fog models are treated using an exclusive Sta-Clear® chemical solution that is superior to other anti-fog treatments
- These Sta-Clear® face shields are virtually fog free
- The 380 Series "crown and chin" combination offers an exclusive extra-wide side window, as well as oversized crown and chin guards
- You can't buy better protection from splashes, flying particles, and debris
- Complete units feature premium 6.5" x 19.5" x.040" clear, Sta-Clear® anti-fog, Shade 5 IR
- Windows attach using exclusive Sellstrom patterned pin-mount design
- Available with exclusive Sellstrom-designed ratchet headgear suspension
- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models S38110, S38140, S38150 CSA certified to CAN/CSA Z94.3 standards
- Model S38110, CE certified



S38110

# FACE SHIELDS—PREMIUM DUAL CROWN

## 380 Series—Dual Crown, Window, and Ratcheting Headgear

Face shield comes with:

- Extra-large high-impact blue crown and chin protector
- Premium polycarbonate extra-wide scratch-resistant windows
- Premium ratcheting headgear suspension

PROD. NO.	Crown	Chin	Suspension	Tint	Coatings	Case Qty.
<b>S38110</b>	Blue	Blue	Ratcheting	Clear	Uncoated	4
<b>S38140*</b>	Blue	Blue	Ratcheting	Clear	Sta-Clear® Anti-Fog	4
<b>S38150</b>	Blue	Blue	Ratcheting	Shade 5 IR	Uncoated	4

## 380 Series Replacement Windows

- Sellstrom carries a wide range of replacement windows
- Available in clear, Sta-Clear® Anti-Fog, Shade 5 IR
- All windows listed below fit the Sellstrom 380 Series dual-crown platform
- Windows attachment pattern exclusive to Sellstrom's 380 Series crown

PROD. NO.	Window Dimensions	Tint	Coatings	Case Qty.
<b>S36000</b>	6.5" x 19.5" x.040"	Clear	Uncoated	125
<b>S36040*</b>	6.5" x 19.5" x.040"	Clear	Sta-Clear® Anti-Fog	125
<b>S36050</b>	6.5" x 19.5" x.040"	Shade 5 IR	Uncoated	100

\*PLEASE NOTE: ANTI-FOG WINDOWS USE AN ACETATE WINDOW INSTEAD OF A POLYCARBONATE WINDOW.



**sellstrom**®

FACE PROTECTION



S38140



S38150



S36000 / S36040



S36050

PLEASE NOTE: ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.

Single-crown style is lightweight and allows for increased air circulation

Impact-resistant polycarbonate windows available in clear, anti-fog

Meets ANSI Z87.1+ high-impact standards and certified to CAN/CSA Z94.3 standards

Patterned pin-mount design allows for quick and simple window replacement—requires no tools

Available with adjustable ratchet headgear suspension for a custom fit at the turn of the knob.

S39110

**PLEASE NOTE:** ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.

## 390 FACE SHIELDS PREMIUM SINGLE CROWN



### 390 Series Face Shields

- Sellstrom's **390 Series** face shields have been the industry standard for decades
- **Made in the USA**, these premium face shields are manufactured using superior polycarbonate windows
- Anti-fog models are treated using an exclusive Sta-Clear® chemical solution that is superior to other anti-fog treatments
- These Sta-Clear® face shields are virtually fog free
- The shield curves naturally to fit facial contours—excellent protection from splashes, chemical splashes, particles, and flying debris
- Extra-large high-impact crown provides excellent above-the-head coverage
- Complete units available with standard 8" x 12" x .040" clear, Sta-Clear® Anti-Fog
- Windows attach using exclusive Sellstrom patterned pin-mount design
- Headgear models available with Sellstrom's exclusive ratcheting headgear suspensions
- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models S39110 and S39140 CSA certified to CAN/CSA Z94.3 standards



## FACE SHIELDS—PREMIUM SINGLE CROWN

### 390 Series—Single Crown, Window, and Ratcheting Headgear

Face shield comes with:

- Extra-large high-impact blue crown
- Premium polycarbonate scratch-resistant windows (two sizes available)
- Premium ratcheting headgear suspension

PROD. NO.	Crown	Suspension	Window Dimensions	Tint	Coatings	Case Qty.
<b>S39110</b>	Blue	Ratcheting	8" x 12" x .040"	Clear	Uncoated	12
<b>S39140*</b>	Blue	Ratcheting	8" x 12" x .040"	Clear	Sta-Clear® Anti-Fog	12

### 390 Series—Single Crown and Headgear Only (No Window)

Comes with:

- Extra-large high-impact blue crown
- Headgear suspension of your choice
- Windows ordered separately (see window assortment below)

PROD. NO.	Crown	Suspension	Case Qty.
<b>S39100</b>	Blue	Ratcheting Headgear	20

### 390 Series Replacement Windows

- Sellstrom carries a wide range of replacement/optional premium polycarbonate windows
- Available in clear, Sta-Clear® Anti-Fog
- All windows listed below can be fitted to the Sellstrom 390 Series crown
- Window-attachment pattern exclusive to Sellstrom's 390 Series crown

PROD. NO.	Window Dimensions	Tint	Coatings	Case Qty.
<b>S35000</b>	8" x 12" x .040"	Clear	Uncoated	250
<b>S35040</b>	8" x 12" x .040"	Clear	Sta-Clear® Anti-Fog	250
<b>S35100</b>	8" x 16" x .040"	Clear	Uncoated	200

\*PLEASE NOTE: ANTI-FOG WINDOWS USE AN ACETATE WINDOW INSTEAD OF A POLYCARBONATE WINDOW.

**sellstrom**®

FACE PROTECTION



S39110



S39100



S35000 / S35040

PLEASE NOTE: ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.

Oversized crown built with premium high-impact-rated material for maximum protection

Designed to offer maximum protection, ease-of-use, and extreme comfort and fit

(14262) F4XP Kit features premium 8" x 15.5" x .060" moulded polycarbonate window (29087)

14262

Exclusive quick-change install and removal system ensures fast and efficient window changes

**370**  
SPEED DIAL™

370 Speed Dial™ headgear offers the fastest, easiest, and most efficient ratcheting headgear system in the industry

## F4XP FACE SHIELD PREMIUM CROWN

### F4XP Premium Crown and 370 Speed Dial™ Ratcheting Headgear



14262 (Kit)

- Jackson Safety® introduces the all-new **F4XP** face shield crown and headgear, a premium face protection product
- The F4XP has been specially designed to offer maximum protection, ease of use, and extreme comfort and fit
- The oversized crown is manufactured using premium, high-impact-rated materials for optimum safety
- Features an exclusive quick-removal mounting system, ensuring fast and easy (universal) window changes
- Comes standard with a soft fabric replaceable front sweatband for improved comfort
- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models 14260 and 14262 are CSA certified to CAN/CSA Z94.3 standards when used in conjunction with windows 29087, 29080, 29106, and 30706
- Models 14260, 14262 CE certified

#### Featuring the Exclusive Jackson Safety® 370 Speed Dial™ Ratcheting Headgear System

- The F4XP crown features the Jackson Safety® 370 Speed Dial™ ratcheting headgear system— an industry best!
- The 370 Speed Dial™ is highlighted by Jackson's famous "Easy Grab-Easy Turn" oversized adjusting dial and patented swivel adjuster band, achieving maximum comfort and fit quickly, easily, and conveniently— saves time, increases productivity, and improves worker safety!



# FACE SHIELDS—PREMIUM CROWN

## F4XP Premium Crown, 370 Speed Dial Ratcheting Headgear and Window Kit


\*\*\*  
BEST

PROD. NO.	Crown	Suspension	Window	Mounting Pattern	Case Qty.
14260	Black	370 Speed Dial Ratcheting Headgear	None	Universal Bracket Pin Pattern	12
14262	Black	370 Speed Dial Ratcheting Headgear	29087 Clear 8" x 15.5" x .060"	Universal Bracket Pin Pattern	12

## F4XP Replacement Windows & Parts

PROD. NO.	Description	Fits Models	Case Qty.
20695	370 Speed Dial™ Ratcheting Headgear	14260, 14262	12
32187	Replaceable washable sweatband - 2/pack	14260, 14262	24

F4XP is CSA certified for use with 4 different Jackson Safety windows



SEE PAGES 25 FOR WINDOW OPTIONS

**JACKSON**  
SAFETY

FACE PROTECTION



14260  
(Crown and Headgear only)



14262 (Kit)



A JACKSON EXCLUSIVE!

PLEASE NOTE: ALWAYS WEAR SAFETY GLASSES WHEN USING FACE SHIELDS.

## FACE SHIELDS—Crowns, Headgear, and Window Kits (Universal Mounts)



Universal pin mount window system

**S30100**

### 301/303 Advantage Series

- Sellstrom offers a complete range of basic, economically priced face shields and windows under our Advantage Series program
- ABS injection moulded crowns feature universal bracket pin pattern for use with universal-mount windows
- Complete units available in single crown (301 Series) and dual crown (303 Series) versions with ratcheting headgear suspension
- Single-crown units are available complete with standard or aluminum-bound windows and ratcheting headgear



### Advantage Series Standards

- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models S30110, S30120, S30310 CSA certified to CAN/CSA Z94.3 standards



**S30110**

### 301 Series—Single Crown and Ratcheting Headgear Only

- Grey ABS crown and comfortable ratcheting headgear
- Extremely versatile face shield mounting system

PROD. NO.	Crown	Suspension	Window Compatibility	Case Qty.
<b>S30100</b>	Grey	Ratcheting	Most Universal Face Shield Windows	30



**S30120**

### 301 Series—Single Crown, Window, and Ratcheting Headgear

- Grey ABS crown and comfortable ratcheting headgear suspension
- Comes complete with standard or aluminum-bound 8" x 15.5" x .040" clear polycarbonate windows
- Extremely versatile face shield mounting system

PROD. NO.	Crown	Suspension	Window	Tint	Treatment	Case Qty.
<b>S30110</b>	Grey	Ratcheting	Aluminum Bound	Clear	Uncoated	25
<b>S30120</b>	Grey	Ratcheting	Standard	Clear	Uncoated	25



**S30310**

### 303 Series—Dual Crown, Window, and Ratcheting Headgear

- New to Sellstrom, this face shield offers both a crown and chin guard for added below-the-neck protection
- Comfortable ratcheting headgear suspension
- Window can be easily replaced (S37599)

PROD. NO.	Crown	Chin	Suspension	Window Tint	Treatment	Case Qty.
<b>S30310</b>	Grey	Grey	Ratcheting	Clear	Uncoated	16

# FACE SHIELDS —UNIVERSAL PIN MOUNT WINDOWS/VISORS



FACE PROTECTION

## F10 PETG Face Shields

Meets ANSI Z87.1 Standards

PROD. NO.	Shade	Dimensions (L x W x T)	Case Count	Shape	Bound	Application	Made in USA
28764*	Clear AF	8" x 15.5" x .035"	96	N	Unbound	Fits C10 Bump Caps c/w Adaptors	●

\*PLEASE NOTE: 28764 is designed specifically to fit on Jackson's C10 bump cap series with attachments (20186—20191). This Anti-Fog face shield window is not CSA certified, and is designed for use in low-impact and splash-type applications such as food processing




## F20 Polycarbonate Face Shields



All models meet or exceed ANSI Z87.1+ high-impact standards. Models 29087, 29106, and 30706 are CSA certified to CAN/CSA Z94.3 standards when combined with Jackson models 14260 F4XP headgear, or when combined with an SC-6 hard hat and 38425 HHIS hard hat adaptor.

PROD. NO.	Shade	Dimensions (L x W x T)	Case Count	Shape	Bound	Made in USA
29087	Clear	8" x 15.5" x .060" (Moulded)	12	B	Unbound	
29106	Clear	9" x 15.5" x .040"	96	D	Bound	●
30706	Clear	8" x 15.5" x .040"	36	E	Unbound	●




## F50 Polycarbonate Special Face Shields—Moulded —Premium Clarity & Impact Protection



All models meet or exceed ANSI Z87.1+ high-impact standards. Model 29080 is CSA certified to CAN/CSA Z94.3 standards when combined with Jackson models 14260 F4XP headgear, or when combined with an SC-6 hard hat and 38425 HHIS hard hat adaptor.

PROD. NO.	Shade	Dimensions (L x W x T)	Case Count	Shape	Bound
29080	IRUV 5.0	8" x 15.5" x .060" (Moulded)	12	B	Unbound




All models meet ANSI Z87.1+ High Impact and are CSA certified when used with S30100, S30110, S30120 Sellstrom face shield crowns

PROD. NO.	Shade	Dimensions (L x W x T)	Description	Shape
S37600	Clear	8" x 15.5" x .040"	Clear PC Aluminum Bound Window	E
S37601	Clear	8" x 15.5" x .040"	Clear Polycarbonate Window	E





14350



14355



14356



14350

## FACE SHIELDS—SPLASH FACE SHIELDS

### MFS-320 Re-Useable Splash Protection Face Shield

- Ideal for splash protection against liquids and body fluids for health care workers, first responders and in food processing applications
- Safeguards against splash and dust in a wide range of general-use applications
- Easy-to-install/replace window—quickly snaps on or off the headband for maximum convenience
- Extra-large full-face coverage for superior protection – check and compare!
- Reusable design—significantly reduces landfill waste and saves on disposal costs!
- Window features an anti-fog coating not found on most other face shields—keeps your vision clear and safe!
- Baseball-cap style pinlock head strap ensures quick and easy adjustments—just set it and forget it!
- Window and headband made with recyclable materials and are both replaceable
- A premium yet cost effective face shield solution—a Jackson Safety exclusive!
- Not designed for use in high-impact applications!
- Individually wrapped to protect the product during shipment and before use
- All the components are latex-free
- Meets ANSI Z87.1 D3 standards

PROD. NO.	Window Dimensions	Window Shape	Window Tint	Coating	Headgear	Sweatband Material	Case Qty
14350	9" x 14" x 0.020"	Unbound Shape E	Clear	Uncoated PET Anti-fog	Low Density Polyethylene (LDPE)	Low Density Polyethylene Foam	24

A HEALTH INDUSTRY BAR CODE IS PROMINENTLY DISPLAYED ON THE PACKAGING


PROD. NO.	Description	Case Qty
14355	Replacement Window	35
14356	Replacement Foam Sweat Band	24



Easy-to-install/  
replace window

Anti-fog coating

Baseball-cap style  
pinlock head strap  
ensures quick and  
easy adjustments



Model numbers 14350 is manufactured in an FDA-registered facility and are FDA listed. Each prominently display a health industry bar code on its packaging.

## INFRARED THERMOMETER

### Digital Infrared Thermometer

- Manufactured in an FDA-registered facility
- The product is FDA listed
- The maximum measuring distance is 3 cm
- Get a result in 1 second
- °C/°F is easily convertible
- Quick toggle between body and object modes
- Colour visual indication of high fever (red), mild fever (yellow) and normal (green)
- 25 groups of memory
- Automatically powers off if left idle for 30 seconds
- Lightweight and compact:
  - Weight: 75 g (0.165 lb)
  - Length: 17.15 cm (6.75")
  - Width: 4.45 cm (1.75")
- Batteries included (2xAAA)
- Low battery indicator
- Does not require calibration

PROD. NO.	Response Time	Power Off	Accuracy
64700	1 sec. approx.	Automatic shut-off after 30 s	+/- 0.2 Deg C (+/- 0.4 deg F)





**JACKSON**<sup>®</sup>

SAFETY

*sellstrom*<sup>®</sup>



# CLEARLY ESSENTIAL

EYE PROTECTION  
SAFETY GLASSES

# Legendary Style & Performance!

EYE PROTECTION



## JACKSON<sup>®</sup> SG SAFETY GLASSES PREMIUM

All standard packs of 12 come with an attractive ready-to-use retail dispenser box



- Introducing the all new Jackson<sup>®</sup> SG series, a premium eye protection product offering outstanding fit, comfort, protection, style, and durability
- Specially designed to offer maximum eye coverage and protection, incorporating a variety of lens shades and coatings
- Made with premium virgin polycarbonate high-impact, optically correct wrap-style lenses, providing 99.9% UV protection
- Soft temples are curved inwards from front to back to ensure a super-comfortable, slip-resistant fit
- As an added advantage, the temple tips are extremely flexible, further ensuring a snug fit while relieving any undue pressure to the user—these glasses are extremely comfortable and stay on during use!
- The lightweight frame includes a soft non-allergic nose pad for maximum comfort and fit
- Frames have been developed using a specially formulated ultra-flexible, ultra-strong base material that provides incredible durability, significantly reducing breakage—check and compare!
- Each safety glass comes complete with a convenient neck strap—no more misplaced or lost glasses!
- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models 50000, 50001, 50002, 50004, 50006, 50010, 50040, 50041, 50042 are CSA certified to CAN/CSA Z94.3 standards
- Models 50000, 50002, 50004, 50006, 50010; 50040, 50041, 50042 CE certified



Extreme Flexibility and Strength for Maximum Durability and Life!



# SAFETY GLASSES—PREMIUM SERIES

## Jackson® SG Series Safety Glasses—Framed

PROD. NO.	Frame Colour	Lens Colour	Lens Coating	Pack Qty.	Case Qty.
50000	Black	Clear	Hardcoat Anti-Scratch	12/Box	144
50001	Black	Clear	Anti-Fog	12/Box	144
50002	Black	Amber	Hardcoat Anti-Scratch	12/Box	144
50004	Black	Indoor/Outdoor	Hardcoat Anti-Scratch	12/Box	144
50006	Black	Smoke Mirror	Hardcoat Anti-Scratch	12/Box	144
50010	Black	IR 5.0	Hardcoat Anti-Scratch	12/Box	144

## Jackson® SG Series Readers

- Ideal for those who need reading glasses and impact protection at the same time

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Magnification	Pack. Qty	Case Qty.
50040	Black	Clear	Hardcoat Anti-Scratch	1.5x	12/Box	144
50041	Black	Clear	Hardcoat Anti-Scratch	2.0x	12/Box	144
50042	Black	Clear	Hardcoat Anti-Scratch	2.5x	12/Box	144



**JACKSON®**  
SAFETY

EYE PROTECTION



50000/50001



50002



50004



50006



50010



50040



50041



50042

JACKSON SAFETY



## SAFETY GLASSES PREMIUM SEALED

**\*\*\*  
BEST**

**FOG FREE!**



**S71910**

- Sealed safety glasses offer the best of both worlds—the comfort and fit of a safety glass with goggle-like protection
- Features a fire-resistant closed cell foam insert that seals the glass to your face
- Provide maximum protection in dusty, windy conditions and wherever airborne particles are present
- Foam insert features top and bottom vent ports allowing superior air circulation
- Curved, custom-moulded high-impact polycarbonate lenses provide exceptional panoramic views
- Made with premium virgin polycarbonate high-impact lenses
- Lenses are specially coated with Sellstrom's premium Sta-Clear® anti-fog/anti-scratch washable lens treatment for maximum performance, durability, and life
- Virtually 100% fog free for optimum operator safety
- Provide 99.9% UV protection
- All models meet or exceed ANSI Z87.1+ high-impact standards, CSA certified to CAN/CSA Z94.3 standards and model XPS502 is tested to the U.S. Military Standard MIL-PRF-31013 safety requirement of 640 feet per second



# SAFETY GLASSES—PREMIUM SEALED

## XPS502 Sealed Safety Glasses



- Features flexible, soft temples that are permanently attached to the frame using a heavy-duty ratcheting (up or down) temple-adjustment hinge
- Allows the user to adjust temples for maximum comfort and protection
- Includes a cloth strap that conveniently attaches to the temples
- Detachable strap can be easily removed/re-attached as desired
- Ballistic Rated—meets US Military Standard MIL-PRF-31013 requirement
- 12/box, 144/case
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Colour	Tint	Lens Coating	Temple	Strap
<b>S71910</b>	Black/Orange	Clear	Sta-Clear® Anti-Fog/Hard Coated	Soft	FR Cloth
<b>S71911</b>	Black/Orange	Smoke	Sta-Clear® Anti-Fog/Hard Coated	Soft	FR Cloth
<b>S71912</b>	Black/Orange	I/O	Hard Coated	Soft	FR Cloth

## XPS530 Sealed Safety Glasses

- The XPS530 comes standard with both detachable soft co-moulded temples and a fire resistant cloth strap which are easily interchangeable
- Outstanding style, fit, comfort, and safety
- 12/box, 144/case
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Colour	Tint	Lens Coating	Temple	Strap
<b>S70000</b>	Yellow/Black	Clear	Sta-Clear® Anti-Fog/Hard Coated	Co-mould	FR Cloth
<b>S70001</b>	Yellow/Black	Smoke	Sta-Clear® Anti-Fog/Hard Coated	Co-mould	FR Cloth
<b>S70002</b>	Yellow/Black	I/O	Hard Coated	Co-mould	FR Cloth
<b>S70003</b>	Yellow/Black	Clear 1.5 Magnifier	Hard Coated	Co-mould	FR Cloth
<b>S70004</b>	Yellow/Black	Clear 2.0 Magnifier	Hard Coated	Co-mould	FR Cloth
<b>S70005</b>	Yellow/Black	Clear 2.5 Magnifier	Hard Coated	Co-mould	FR Cloth

XPS530 SAFETY GLASSES INCLUDE BOTH DETACHABLE TEMPLE ARMS AND STRAPS

Model S70000 shown with fire-resistant-rated strap (included)



EYE PROTECTION

Permanent temple arms, removable strap



S71911

Heavy duty ratcheting temple adjustment hinge (up or down)



S70000



S70001



S70002

SELLSTROM



## SAFETY GLASSES PREMIUM SERIES



**FOG FREE!**

- Sellstrom offers a wide range of super premium, high-quality safety glasses
- Rich in style, comfort, fit, and safety
- Each model has been designed to exceed the needs of the most demanding user
- Made with premium virgin polycarbonate high-impact lenses
- Lenses are specially coated with Sellstrom's premium Sta-Clear® anti-fog/anti-scratch washable lens treatment for maximum performance, durability, and life
- Virtually 100% fog free for optimum operator safety
- Provide 99.9% UV protection
- All models meet or exceed ANSI Z87.1+ high-impact standards, CSA certified to CAN/CSA Z94.3 standards and tested to the U.S. Military Standard MIL-PRF-31013 safety requirement of 640 feet per second



S72000



S72001

### XP410 Safety Glasses

- The XP410 offers feather-light frames, great style, maximum comfort, and fit
- So light, you won't even remember you have them on!
- High-impact optically correct wrap-style unitary PC lens offers superior coverage
- Stylish, ultra-thin black/green co-moulded temples
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Soft, co-moulded above-the-eye band provides superior eye coverage
- Soft, co-moulded nose piece with flexible fingers ensures maximum comfort
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty.	Case Qty.
S72000	Black /Green	Clear	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
S72001	Black /Green	Smoke	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
S72002	Black /Green	I/O	Hard Coated	12/Box	144

# SAFETY GLASSES—PREMIUM SERIES

## XP420 Safety Glasses

- The XP420 offers a sporty, stylish heavy duty frame and temple design
- High-impact optically correct wrap-style unitary PC lens offers superior coverage
- Soft, flexible temples with ribbed tips are curved inwards to ensure comfortable, slip-resistant fit
- Soft nose piece offers all-day comfort
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards



PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty.
<b>S72100</b>	Black	Clear	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
<b>S72101</b>	Black	Smoke	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
<b>S72102</b>	Black	I/O	Hard Coated	12/Box	144

## XP450 Safety Glasses

- The XP450 is our sportiest-looking safety glass
- Edgy, sleek and modern co-moulded temples offer outstanding style and comfort
- High-impact optically correct wrap-style two-piece PC lenses offer superior coverage
- Lenses are mounted to the frame with a ventilation space, minimizing fogging
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Soft nose piece offers all-day comfort
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty.
<b>S72300</b>	Black/Red	Clear	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
<b>S72301</b>	Black/Red	Smoke	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
<b>S72302</b>	Black/Red	I/O	Hard Coated	12/Box	144

## XP460 Safety Glasses

- The XP460 offers a sporty, stylish heavy-duty frame and temple design
- Our only full-frame premium safety glass
- High-impact optically correct two-piece PC lenses offer superior coverage
- Stylish black/green co-moulded temples and soft nose piece offers all-day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty.
<b>S72400</b>	Black /Green	Clear	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
<b>S72401</b>	Black /Green	Smoke	Sta-Clear® Anti-Fog/Hard Coated	12/Box	144
<b>S72402</b>	Black /Green	I/O	Uncoated	12/Box	144



EYE PROTECTION



S72100



S72101



S72300



S72301



S72400



S72401

SELLSTROM



## SAFETY GLASSES —ADVANTAGE PLUS SERIES



EYE PROTECTION



S71100



S71101

Up/down three-position ratcheting temples



S71200



S71201



S71203

- Advantage Plus safety glasses offer additional features over our Advantage Series products, providing the user with increased comfort and fit
- All glasses are made using virgin polycarbonate lenses
- Provide 99.9% UV protection
- Lenses feature an anti-scratch hard coating
- Ideal for those applications where safety, comfort, fit, and affordability are of primary importance
- All models meet or exceed ANSI Z87.1+ high-impact standards, CSA certified to CAN/CSA Z94.3 standards and tested to the U.S. Military Standard MIL-PRF-31013 safety requirement of 640 feet per second (except XM300 Series)



### XM300 Safety Glasses

- The XM300 safety glass is lightweight, stylish, comfortable, and affordable
- High-impact optically correct wrap-style unitary PC lens offers superior coverage
- Stylish black/green co-moulded temples and soft nose piece offers all-day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty.	Case Qty.
S71100	Black/Green	Clear	Hard Coated	12/Box	144
S71101	Black/Green	Smoke	Hard Coated	12/Box	144
S71102	Black/Green	I/O	Hard Coated	12/Box	144

### XM310 Safety Glasses

- The XM310 safety glass is lightweight, stylish, comfortable, and very affordable
- High-impact optically correct wrap-style unitary PC lens offers superior coverage
- Moulded above-the-eye band provides superior coverage
- Stylish black/orange co-moulded temples and soft nose piece offers all-day comfort
- Up/down three-position ratcheting temples allows user to adjust for maximum fit
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty.	Case Qty.
S71200	Black/Orange	Clear	Hard Coated	12/Box	144
S71201	Black/Orange	Smoke	Hard Coated	12/Box	144
S71202	Black/Orange	I/O	Hard Coated	12/Box	144
S71203	Black/Orange	Amber	Hard Coated	12/Box	144

# SAFETY GLASSES—ADVANTAGE PLUS SERIES

## XM320 Safety Glasses



- The XM320 offers a sporty, stylish heavy duty frame and temple design
- High-impact optically correct unitary PC lens offers integrated side panel—incredible front and side eye coverage
- Stylish flat black and orange co-moulded temples are soft and flexible
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Soft nose piece offers all-day comfort
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty.
<b>S71400</b>	Black/Orange	Clear	Hard Coated	12/Box	144
<b>S71401</b>	Black/Orange	Smoke	Hard Coated	12/Box	144
<b>S71402</b>	Black/Orange	I/O	Hard Coated	12/Box	144

## XM330 Safety Glasses

- The XM330 safety glass is lightweight, stylish, comfortable, and very affordable
- Our most popular mid-range safety glass!
- High-impact optically correct wrap-style unitary PC lens offers superior coverage
- Soft, flexible temple tips and soft nose piece offers all-day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty.
<b>S73601</b>	Clear/Black	Clear	Hard Coated	12/Box	144
<b>S73611</b>	Amber/Black	Amber	Hard Coated	12/Box	144
<b>S73621</b>	Smoke/Black	Smoke	Hard Coated	12/Box	144
<b>S73631</b>	Clear/Black	I/O	Hard Coated	12/Box	144

## XM340 Safety Glasses

- The XM340 safety glass is lightweight, stylish, and comfortable
- High-impact optically correct wrap-style dual-PC lenses offer superior coverage
- Lenses are mounted to the frame with a ventilation space, minimizing fogging
- Soft rubberized temple tips and soft nose piece offers all-day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty.	Case Qty.
<b>S74201</b>	Smoke/Smoke	Clear	Hard Coated	12/Box	144
<b>S74241</b>	Smoke/Smoke	I/O	Hard Coated	12/Box	144
<b>S74271</b>	Smoke/Smoke	Smoke	Hard Coated	12/Box	144



EYE PROTECTION



S71400

Added side protection



S71401



S73601



S73611



S73621



S74201



S74271

SELLSTROM



- Sellstrom offers a wide range of affordable safety glasses under the Advantage Series program
- All glasses are made using virgin, unitary polycarbonate lenses
- Provide 99.9% UV protection
- Ideal for construction, shop, and general eye protection applications



S70701



S70711



S70721



S73401



S73421



S73471



S79100

**X300 Safety Glasses**

- The X300 style is one of the most-popular-selling safety glasses in North America
- Lightweight, comfortable, and very affordable
- Lens features an anti-scratch hard coating
- All X300 safety glasses meet ANSI Z87.1+ high-impact standards and are CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty
<b>S70701</b>	Clear	Clear	Hard Coated	12/Box	144
<b>S70711</b>	Amber	Amber	Hard Coated	12/Box	144
<b>S70721</b>	Smoke	Smoke	Hard Coated	12/Box	144
<b>S70731</b>	Clear	I/O	Hard Coated	12/Box	144

**X330 Safety Glasses**

- The X330 style is one of the most-popular-selling safety glasses in North America
- Lightweight, comfortable and very affordable
- Lens features an anti-scratch hard coating
- Soft rubberized temple tips ensure superior comfort and fit
- All X330 safety glasses meet ANSI Z87.1+ high-impact standards and are CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty
<b>S73401</b>	Clear	Clear	Hard Coated	12/Box	144
<b>S73402</b>	Clear	Clear	Anti-Fog	12/Box	144
<b>S73421</b>	Amber	Amber	Hard Coated	12/Box	144
<b>S73471</b>	Smoke	Smoke	Hard Coated	12/Box	144
<b>S73481</b>	Smoke	Blue Mirror	Hard Coated	12/Box	144

**X350 Safety Glasses (OTG)**

- Lightweight, comfortable, and affordable
- Sleek, modern look offers front, side, and above/below-the-eye protection
- Designed to fit over most medium-sized prescription eyewear (OTG)
- Comfortable nose bridge
- Ideal as a visitors spec as well as for everyday eye protection
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards
- Tested to U.S. Military Standard MIL-PRF-31013 safety requirement of 640 feet per second

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty
<b>S79100</b>	Clear	Clear	Hard Coated	12/Box	144

# SAFETY GLASSES—ADVANTAGE SERIES

## Sebring™ Safety Glasses

- Classic one-piece moulded lens offers excellent front/side protection
- Lightweight, comfortable, and very affordable
- Arms are extendable for maximum fit and comfort
- Meets ANSI Z87.1+ high-impact standards and the following are CSA certified to CAN/CSA Z94.3 standards: S73801, S76301, and S76371

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty
<b>S73801</b>	Black (small frame)	Clear	Hard Coated	12/Box	144
<b>S76301</b>	Black	Clear	Hard Coated	12/Box	144
<b>S76371</b>	Black	Smoke	Hard Coated	12/Box	144

**sellstrom**®



S73801



S76301



S76371

EYE PROTECTION

## Maxview™ Safety Glasses

- Lightweight, comfortable, and affordable
- Designed to fit over prescription eyewear (OTG)
- Ideal as a visitor's spec as well as for everyday eye protection
- Extra-wide ventilated temples for increased side protection
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty
<b>S79301</b>	Clear	Clear	Hard Coated	12/Box	144
<b>S79302</b>	Clear	Clear	Uncoated	12/Box	144



S79301/S79302

## Guest-Gard™ Safety Glasses

- Lightweight, comfortable, and affordable
- Designed to fit over prescription eyewear (OTG)
- Ideal as a visitor's spec as well as for everyday eye protection
- Classic one-piece moulded lens offers excellent front/side protection
- S79103 comes in convenient dispenser box—24/box
- Meets ANSI Z87.1+ high-impact standards and are CSA certified to CAN/CSA Z94.3 standards



S79103



S79103

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Pack Qty	Case Qty
<b>S79103</b>	Clear	Clear	Uncoated	24/Dispenser Box	144

SELLSTROM

## SAFETY GLASSES—BIFOCALS

- Sellstrom offers two popular styles of bifocal magnifying safety glasses
- Developed for workers requiring magnifiers when performing close-vision tasks
- Available in three magnifying powers: **1.5, 2.0 & 2.5**
- All glasses are made using virgin, unitary polycarbonate lenses
- Provide 99.9% UV protection
- Meets ANSI Z87.1+ high-impact standards and are CSA certified to CAN/CSA Z94.3 standards



S70703

Bifocal magnifiers

### X300RX Safety Glasses

- The X300RX offers all of the same features as our popular X300 but with bifocal magnification technology
- Lightweight, comfortable, and very affordable
- Lens features an anti-scratch hard coating
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standard

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Magnification	Pack. Qty	Case Qty.
<b>S70703</b>	Clear	Clear	Hard Coated	1.5x	12/Box	144
<b>S70704</b>	Clear	Clear	Hard Coated	2.0x	12/Box	144
<b>S70705</b>	Clear	Clear	Hard Coated	2.5x	12/Box	144



S74202

Bifocal magnifiers

### XM340RX Safety Glasses

- The XM340RX offers all of the same features as our popular XM340 but with bifocal magnification technology
- High-impact optically correct wrap-style dual PC lenses offer superior coverage
- Lenses are mounted to the frame with a ventilation space, minimizing fogging
- Soft rubberized temple tips and soft nose piece offers all-day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Temple Colour	Lens Tint	Lens Coating	Magnification	Pack. Qty	Case Qty.
<b>S74202</b>	Smoke/Black	Clear	Hard Coated	1.5x	12/Box	144
<b>S74203</b>	Smoke/Black	Clear	Hard Coated	2.0x	12/Box	144
<b>S74204</b>	Smoke/Black	Clear	Hard Coated	2.5x	12/Box	144

# SAFETY GLASSES—SHADE 5 IR



EYE PROTECTION

## B5™ Safety Glasses

- Features fold-out contouring side shields for maximum eye protection
- Arms are extendable for maximum fit and comfort
- Dual polycarbonate lenses are available in clear and Shade 5 IR
- Meets or exceeds ANSI Z87.1+ high-impact standards
- Model S74751 is CE certified

PROD. NO.	Temple Colour	Side Shield	Lens Tint	Lens Coating	Pack Qty	Case Qty.
<b>S74751</b>	Black	Black	Shade 5 IR	Hard Coated	12/Box	144



S74751

Fold-out contouring side shield





**JACKSON**<sup>®</sup>  
SAFETY

*sellstrom*<sup>®</sup>




# FOCUS ON SAFETY

## EYE PROTECTION GOGGLES



**Incredible Comfort & Fit!**



S80200

**GOGGLES  
PREMIUM**

**OVER  
1 MILLION  
GOGGLES  
SOLD!**

**\*\*\*  
BEST**

**Odyssey II Safety Goggle Series**

**FOG FREE!**



S80200

- The Odyssey II premium goggle series has been a market leader for over 20 years
- Unique “dual sealed” UV absorbing polycarbonate lens technology (except single lens clean room and Shade 5 cutting models)
- Dual-lens models offer anti-fog treatment on inside lens, anti-scratch on outside lens
- Industrial, chemical splash, and Shade 5 models feature top and bottom indirect vents, providing superior ventilation and the safest operator conditions
- 100% fog free, even in the worst conditions
- Stylish soft goggle body conforms to your face, providing a comfortable yet snug seal and maximum protection against liquids and dust
- Exceptional panoramic views
- Specially designed to fit over prescription eyewear
- Simply the best goggle in the market
- All models meet or exceed ANSI Z87.1+ high-impact standards
- Models S80200, S80201, S80210, S80231 CSA certified to CAN/CSA Z94.3 standards



## GOGGLES—PREMIUM

### Odyssey II Series Industrial Dual Lens Model



- Our most popular Odyssey II model
- Ideal for a wide variety of applications including construction sites, shop use, and general industrial workplace protection
- Complete with extra-wide flame retardant cloth strap (S80246)
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Tint	Case Qty.
<b>S80200</b>	Blue	Indirect	Dual	Hard Coated/Anti-Fog	Clear	100



S80200

### Odyssey II Series Chemical Splash Dual Lens Goggle

- Specifically designed for those applications where the risk of a chemical splash exists
- Complete with extra-wide grey, latex-free neoprene strap
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Tint	Case Qty.
<b>S80201</b>	Blue	Indirect	Dual	Hard Coated/Anti-Fog	Clear	100



S80201

### Odyssey II Series Clean Room Goggle

- Specifically designed for clean-room applications
- Unlike traditional single-use clean-room goggles, these premium goggles are re-usable and designed for multi-use clean room applications
- Can be autoclaved
- Top-vented body with clear uncoated lens
- Complete with extra-wide grey, latex-free neoprene strap (S80251)
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards
- CE certified

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Tint	Case Qty.
<b>S80231</b>	Blue	Top-Vented	Single	Uncoated	Clear	100



S80231

### Odyssey II Series Shade 5 Cutting Goggle

- Features a durable Shade 5 IR (single) lens
- Specifically designed for grinding, chipping, and brazing operations in fabrication and welding shop applications
- Complete with extra-wide flame-retardant strap (80246)
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Tint	Case Qty.
<b>S80210</b>	Black (High Temp)	Indirect	Single	Uncoated	Shade 5 IR	100



S80210

\*PACKED IN CONVENIENT POLYBAG

Ultra-soft goggle body provides all-day comfort

Indirect vent and anti-fog treatment provides safe, fog-free environment

Extra-wide flame-retardant strap for superior comfort and safety

Flip up/flip down

Designed to fit over prescription eyewear

21000 Clear

Face shield flips up and down for added convenience

Detachable polycarbonate face shield protects face from splash, dust, and flying debris

Designed to fit under most hard hats

21002 Shade 5 IR

## GPL500 SERIES

### Premium Safety Goggle/Face Shield



- Jackson introduces a new premium goggle with detachable flip-up/flip-down face shield
- Stylish super-soft goggle body conforms to your face, ensuring a comfortable snug seal and maximum protection against liquids and dust
- Indirect vents along with an anti-fog lens coating ensures a safe, fog-free working environment while offering superior protection against dust and chemical splashes
- Optically correct polycarbonate lens provide exceptional panoramic views
- Specially designed to fit over prescription eyewear
- Face shield is easily detachable



## GOGGLES—PREMIUM SPECIALTY

### GPL500 Series Premium Safety Goggle with Detachable Flip-Up/Flip-Down Face Shield

\*\*\*  
BEST

- The GPL500 features an added flip-up/flip-down polycarbonate face shield designed to protect your face from splash, dust, and flying debris
- Extra-wide flame-retardant strap is swivel-mounted to goggle
- Provides 99.9% UV protection
- Available in two tints: Clear, and IRUV 5
- Clear version is ideal for industrial, mining, cutting, grinding, construction, woodworking, machine shop, and pressure-washing applications
- Shade 5 IR goggle is coated to provide IR protection for oxy/acetylene cutting, brazing, and plasma-cutting applications
- Meets ANSI Z87.1+ high-impact standards
- Models 21000, 21002 CSA certified to CAN/CSA Z94.3 standards
- 21000, 21002 CE certified

PROD. NO.	MOD. NO.	Body Colour	Face Shield Colour	Lens	Coatings	Tint	Case Qty.
21000	GPL500	Blue	Blue	Single	Anti-Fog	Clear	6
21002	GPL550	Black	Green	Single	Anti-Fog	Shade 5 IR	6

**JACKSON**  
SAFETY



21000



21002

EYE/FACE PROTECTION

## GOGGLES—ADVANTAGE PLUS SERIES

### GM500 Safety Goggle

\*\*  
BETTER

- The GM500 goggle combines comfort, fit, safety, and great looks in one product
- Stylish orange/black co-moulded soft TPR body provides comfort and fit
- Moulded curved polycarbonate lens provides outstanding panoramic views with virtually no distortion
- Top and bottom indirect vents along with an anti-fog lens coating provides superior ventilation and a safe, fog-free working environment
- Indirect vents provide superior protection against dust and chemical splashes
- Swivel-mounted, extra-wide flame-retardant strap
- Specially designed to fit over prescription eyewear
- Provides 99.9% UV protection
- Meets ANSI Z87.1+ high-impact
- CSA certified to CAN/CSA94.3 standards

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Tint	Case Qty.
S82500	Orange/Black	Indirect	Single	Anti-Fog	Clear	200



S82500



**sellstrom**

## GOGGLES—ADVANTAGE SERIES



### 810 and 812 Series Safety Goggles

- Our most economically priced goggle series
- Clear flexible PVC body ensures proper fit
- Polycarbonate UV-absorbing clear lenses
- Three vent options available to fit your every need
- Adjustable 18" black flame-retardant headband (S22448)
- Available with anti-fog lens coating
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards



S81000

### 810 Direct Vent Safety Goggles

- Direct vent series
- Provides maximum air flow and protection against flying debris
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Packaged	Case Qty.
S81000	Clear	Direct	Clear	Uncoated	1/Bag	200



S81200 / S81210

### 812 Indirect Vent Chemical Splash Safety Goggles

- Indirect vent chemical-splash series
- Protects against liquid, dust, smoke, and chemical-splash environments
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Packaged	Case Qty.
S81200	Clear	Indirect	Clear	Uncoated	1/Bag	160
S81210	Clear	Indirect	Clear	Anti-Fog	1/Bag	160



S81220

### 812 Non-Vented Safety Goggles

- Non-vented goggle
- Offers best protection from liquids and dust particles
- Meets ANSI Z87.1+ high-impact and CSA certified to CAN/CSA Z94.3 standards

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Packaged	Case Qty.
S81220	Clear	Non-Vent	Clear	Anti-Fog	1/Bag	200

## GOGGLES—WELDING

- Sellstrom carries one of the widest ranges of welding goggles in the industry
- All goggles feature soft, flexible green PVC bodies for excellent comfort and fit
- Top and bottom indirect vents provide superior ventilation and a safe, fog-free working environment (except S85150 eye cup goggle)
- Indirect vents provide superior protection against dust and chemical splashes
- Meets ANSI Z87.1+ high-impact standards
- CSA certified to CAN/CSA Z94.3 standards



### Odyssey II Series Shade 5 Cutting Goggle



PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Tint	Case Qty.
S80210	Black (high temp)	Indirect	Single	Uncoated	Shade 5 IR	100



S80210

### Lift Front Plate Goggle



- Features standard size 2" x 4-1/4" lift front plate window
- It's easy and safe—by keeping the welding goggle on at all times, the operator can flip the shaded window up or down, providing uninterrupted eye protection during cutting and grinding operations
- Clear lens provides eye protection when the flip plate is in the up position
- Flip window available in Shade 5 IR
- Window includes filter, cover, and impact plates

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Case Qty.
S85550	Green	Indirect	Shade 5 IR	Uncoated	100



S85550

### Lens Cover Goggle



- Features 50 mm eye-cup style fixed plate windows with soft PVC body

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Case Qty.
S85250	Green	Indirect	Shade 5 IR	Uncoated	100



S85250

### Eye Cup Goggle



- Our most basic welding-type goggle
- Features 50 mm eye-cup lenses and two individual cup bodies
- Ideal for confined space

PROD. NO.	Body Colour	Vent Type	Lens	Coatings	Case Qty.
S85150	Green	Non-Vent	Shade 5 IR	Uncoated	100



S85150

Germicidal cabinets sanitize goggles/safety glasses for next use

Sturdy 22-gauge white-enamelled steel cabinet features interlocking doors

Equipped with automatic shut-off if doors are opened



Kills 99.4% of germs during the timer controlled cycle—**third-party tested**

Pilot light confirms UV lamp is in use on the Monitor 2000

S90494

## GERMICIDAL CABINETS

### Monitor™ Germicidal Cabinets



S90494

- **Made in the USA**—Sellstrom's Monitor Series Germicidal Cabinet has been the industry leader for decades
- Germicidal cabinets sanitize goggles/safety glasses for next use
- Kills 99.4% of germs during the timer controlled cycle in five minutes —**third party tested**
- Sanitizes eyewear surfaces from germs, bacteria, mould, and fungus contaminants
- Sturdy 22-gauge white enamelled steel cabinet features interlocking doors
- Features tamper-resistant latches with two keys provided
- Multiple units are keyed alike
- Zero UV radiation escapes during use
- Equipped with automatic shut-off if doors are opened
- Pilot light confirms UV lamp is in use on the Monitor 2000
- Wall or shelf mountable and includes 7' (2.13m) grounded cord
- For indoor use only; temperature range 32° to 104° Fahrenheit

# GERMICIDAL CABINETS



GERMICIDAL CABINETS

## Monitor™ 2000 Germicidal Cabinet



- The Monitor 2000 has been the top-selling germicidal cabinet for decades
- Specially designed for educational and medical-industry applications
- Larger 32"H x 24.5"W x 9.5"D format includes eight shelves total
- Each shelf holds approximately five goggles or six safety glasses
- Sanitizes goggles/safety glasses for next use in just five minutes, an industry best
- Underwriters Laboratory listed and CUL certified

PROD. NO.	Description	Use	Case Qty.
<b>S90494</b>	Monitor 2000 Germicidal Cabinet	Education/Medical Industries	1



S90494

## Monitor™ Germicidal Cabinet Replacement Parts

PROD. NO.	Description	Fits
<b>S90482</b>	Lamp	Monitor 2000



## Optional Magnetic Hooks for Hanging Face Shields in Monitor Cabinet—NEW!

- Allows use of Monitor 2000 germicidal cabinet to sanitize face shields instead of glasses and goggles
- Set of four magnetic hooks allows sanitization of up to four face shields during the five-minute cycle time
- It's easy—simply remove the glasses and goggle rack from the Monitor 2000
- Space the four magnetic hooks in a pattern that allows up to four face shields to fit inside the cabinet
- Four magnetic brackets are designed to mount on the metal back wall of the cabinet
- Hang the face shields, close the door, set the timer, and after five minutes, away you go!
- Option expands the range of products that can be sanitized to include safety glasses, goggles, and now face shields
- The following Jackson and Sellstrom face shields have been tested and certified with the Monitor 2000 cabinet, effectively killing 99.4+% of germs:
  - Jackson Quad 500, Maxview, F4XP, MFS320,
  - Sellstrom 301, 303, 380, 390, and DP4 Series



PROD. NO.	Description	Pack Qty.
<b>S90495</b>	Magnetic Face Shield Mounting Hooks	4

SELLSTROM



**STA-CLEAR® LENS CLEANING PRODUCTS**

- Cleans glass and polycarbonate safety glasses and goggle lenses
- Anti-static, anti-fog cleaning solution impregnated in tissues
- Scratch free—contains no silica
- Cleans without streaking or leaving static residue
- Not for fog-free (anti-fog coated) lenses



**S23490**  
Box & Packets



**S23480**  
Box & Tissues



**S23469**



**S23470**

**Sta-Clear® Pre-Moistened Lens Cleaning Tissue Packets**

- Convenient pre-moistened single use packets
- Towelette measures 5" x 8" (12.7 x 20.32cm)
- Convenient dispenser box contains 110 packets
- Can be wall mounted or placed on flat surface

PROD. NO.	Description	Packets/Box	Case Qty.
<b>S23490</b>	Pre-Moistened Non-Alcohol Based Towelettes	110	10/Box

**Sta-Clear® Lens Cleaning Tissues**

- Tissues come dry and must be water activated
- Tissues measure 4.5" x 10.5" (11.43 x 27.31cm)
- Box measures 5.25" x 4.5" x 4" (13.02 x 12.07 x 11.75cm)
- Convenient dispenser box contains 1,000 tissues

PROD. NO.	Description	Tissues/Box	Case Qty.
<b>S23480</b>	Water Activated Lens Cleaning Tissue Box	1,000	36/Box

**Sta-Clear® Lens Cleaning Stations**

- Stations come with water-activated tissues and 16 oz. pump spray bottle
- Tissues come dry and must be water activated
- Tissue measures 4.5" x 10.5" (11.43 x 27.31cm)
- Two variations available:
  - **Cardboard station:** Measures 8.625" x 6.5" x 5.375"
  - **Metal station:** Measures 8.75" x 6.5" x 5.25"  
Metal station can be locked (uses key #23475)
- Opening allows for litter-free disposal of used tissues
- Can be wall mounted or placed on flat surface

PROD. NO.	Description	Pack Qty.
<b>S23469</b>	Cardboard Station (1,000 Tissues and Spray Bottle)	6/Box
<b>S23470</b>	Metal Station (1,000 Tissues and Spray Bottle)	1/Box

# EQUIPMENT CLEANING PRODUCTS



## Sel-Kleen™ Pre-Moistened Equipment Cleaning Packets

- Anti-static, anti-fog cleaning solution impregnated in tissues
- Scratch free—contains no silica
- Alcohol-free pads use active ingredient benzalkonium chloride and will not harm even the most sensitive rubber or PVC material
- Convenient single-use packets
- Towelette measures 5" x 8" (12.7 x 20.32cm)
- Convenient dispenser box contains 110 packets
- Can be wall mounted or placed on flat surface

PROD. NO.	Description	Packets/Box	Case Qty.
S22185	Pre-Moistened Non-Alcohol Based Towelettes	110	10/Box



S22185  
Box & Pack

EYEWEAR & EQUIPMENT CLEANING PRODUCTS



SELLSTROM



## EMERGENCY EYEWASH

- The proper selection of emergency eyewash stations is critical when operating a safe working environment
- OSHA regulations listed in 29 CFR outline where and when eyewash equipment must be installed
- ANSI Z358.1 (Emergency Eyewash and Shower Equipment) is the standard that outlines the proper design, performance, and installation of emergency equipment to comply with the OSHA standard

# EYEWASH STATIONS—PORTABLE EMERGENCY



EMERGENCY EYEWASH

## Gravit-Eye 16-Gallon Portable Gravity Feed Eyewash Station

- 16-gallon, self-contained gravity-flow portable eyewash station
- Water is fed through dual spray heads for maximum effectiveness
- Delivers over 14 gallons (53 litres) of water over a 15-minute period
- High-viz green body is easily located in case of emergency
- Heavy wall construction with reinforced ribs ensures strength and durability
- Water flow is activated by pulling up (on) or down (off) on bright yellow tray
- Integrated full-flow nozzle delivers gentle spray of water
- Waste water is directed through drain opening in tank basin
- 3' drain hose directs waste water into floor drain or storage tank
- Furnished with steel wall-mounting bracket
- Can also be placed on flat surfaces such as counter tops
- Comes with 8 oz. bottle of bacteriostatic additive (S90322) which protects against growth of bacteria, fungus, algae, and acanthamoeba
- Weight: 13 lbs. empty, 146 lbs. full
- Unit comes completely assembled
- Complies with ANSI Z358.1 for portable eyewash stations



S90320



S90335  
Dust Cover Option

PROD. NO.	Description	Case Qty.
S90320	16-Gallon Gravit-Eye Portable Eyewash Station	1

PROD. NO.	Description	Fits
S90335	Dust Cover	S90320 16-Gallon Eyewash Station

## Eyewash Bacteriostatic Additive—8 oz.

- 8-oz. bottle of bacteriostatic additive
- For use in all makes of portable eyewash stations
- Protects against growth of bacteria, fungus, algae, and acanthamoeba

PROD. NO.	Description	Case/Qty.
S90322	8-oz. Bottle of Bacteriostatic Formula	4/Case




S90322

SELLSTROM



***sellstrom***<sup>®</sup>

**JACKSON**<sup>®</sup>  
SAFETY



# SOME SOUND ADVICE

HEARING PROTECTION

# HEARING PROTECTION



67220



S23410



S23403

## What You Should Know About Hearing Protection!

- Exposure to continuous high noise levels causes irreversible hearing loss
- Developing an effective workplace hearing safety program is critical
- OSHA sets the permissible eight-hour work day noise-exposure level at 90 dBA and only two hours of exposure to 100 dBA
- Many companies place noise-level limits even lower than the OSHA standard
- Here are guidelines that some companies apply for increased safety
  - \* 8 hours exposure = 85 dBA
  - \* 4 hours exposure = 88 dBA
  - \* 2 hours exposure = 91 dBA
  - \* 1 hour exposure = 94 dBA


## About NRR Ratings and Their Practical Application in the Field

- The NRR ratings found on many hearing protection products in the market, including Jackson and Sellstrom, have been tested and certified in controlled laboratories
- However, working environments are seldom controlled environments
- In the field, hearing protection is not always fitted properly, leading to noise creep and the potential for hearing damage
- As a precaution, NIOSH recommends the following deratings during field use:
  - Ear Muffs—NIOSH recommends derating NRR ratings by 25%
  - Earplugs—NIOSH recommends derating NRR ratings by 50–75%
- In some applications, to achieve maximum protection, the use of earplugs and muffs together may be the safest solution. It is estimated that by combining the two, an extra 5 dBs can be added to the overall-tested NRR rating

## What Level of Protection Do You Need?

All hearing protectors sold by Jackson Safety and Sellstrom are tested to the American National Standards Institute (ANSI) S3.19-1974 Standard to receive a Noise Reduction Rating (NRR), which is labelled on all such products as required by the U.S. Environmental Protection Agency (EPA).

This number gives the consumer a method to judge performance among different models of hearing protectors—a higher NRR indicating more-effective protection against sound. Some models of hearing protectors have multiple NRR numbers. This reflects the fact that these hearing protectors may be worn with their headbands in different positions.



**Hearing Loss is Forever—  
Take Prevention Seriously!**

Hearing protection should be taken very seriously and protectors, either muffs or plugs, should be comfortable to wear and offer sufficient attenuation to prevent hearing loss based on individual protection needed.

## PREMIUM DISPOSABLE EARPLUGS

### Disposable Earplugs—Bullet Shape

- Contoured bullet-shaped premium-quality polyurethane earplugs
- Gently but quickly expands to fit ear canal—one size fits all!
- Soft, non-irritating PU foam for maximum comfort
- Available corded and uncorded
- Plugs are individually packed in pairs and sold:
  - \* Uncorded = 200 pairs in convenient dispenser box
  - \* Uncorded = 500 pairs in bulk bag (replacement plugs for dispenser)
  - \* Uncorded = 500 pairs in convenient see-through wall dispenser
  - \* Uncorded = 10 pairs in retail slide blister package
  - \* Corded = 100 pairs in convenient dispenser box
- CSA Class AL

PROD. NO.	Type	Shape	Colour	NRR	Package	Case Qty.
<b>S23410</b>	Uncorded	Bullet	Hi-Vis Green	32	200 Pair Dispenser Box	10/Box
<b>S23411</b>	Uncorded	Bullet	Hi-Vis Green	32	500 Pair Bulk Pack	10/Packs
<b>S23412</b>	Corded	Bullet	Hi-Vis Green	32	100 Pair Dispenser Box	20/Box
<b>S23413</b>	Uncorded	Bullet	Hi-Vis Green	32	500 Pair In Wall Dispenser	8
<b>S23414</b>	Uncorded	Bullet	Hi-Vis Green	32	10 Pair in Retail Package	200/Pack



S23413

**sellstrom**®



S23410

S23412

S23414

## H10 DISPOSABLE EARPLUGS

### H10 Disposable Earplugs—Bullet Shape

- Soft roll-down foam
- Smooth "bullet" shape for easy insertion
- High visibility for easy compliance monitoring
- Gravity-feed display box

PROD. NO.	Description	NRR	Class	Case Count
<b>67210</b>	Uncorded	31	A(L)	200 Pairs/Box; 8 Boxes/Case
<b>67212</b>	Corded	31	A(L)	100 Pairs/Box; 8 Boxes/Case

### H10 Disposable Earplugs Dispenser and Bulk Pack (500 Pairs)

#### Earplugs

- Featuring H10 uncorded disposable foam earplugs
- 500 pairs (or 1000 earplugs) packed in a polybag

#### Dispenser

- Wall mountable and desktop ready
- Easy, flip-open for quick refill
- Clear globe helps to indicate when to refill
- Mounting template and hardware included

PROD. NO.	Description	NRR	Class	Case Count
<b>25708</b>	Uncorded	31	A(L)	500 Pairs/Bag; 4 Bags/Case
<b>25709</b>	Dispenser	N/A	N/A	1 Dispenser/Case

### H10 Metal Detectable Disposable Earplugs

- Designed to deliver on performance and comfort and help you improve compliance
- Distinctive blue colour for easy compliance monitoring
- Individual packaging for hygienic storage
- Universal size
- Metal embedded in the earplug for easy detection

PROD. NO.	Description	NRR	Class	Case Count
<b>13821</b>	Corded	31	A(L)	100 Pairs/Box; 8 Boxes/Case

**JACKSON**®  
SAFETY



67212



13821



25709



S23420



S23421



Comes with convenient plastic case

S23422

## JACKSON®

SAFETY



67220



13822

## EARPLUGS—PREMIUM REUSABLE

### Reusable Earplugs—Tapered

- Newly developed four-flange, tapered earplug ensures optimum ear-canal coverage
- Firm push/pull post makes insertion and removal quick and easy
- One size fits all
- Reusable—can be washed and reused dozens of times
- Made with non-allergenic polymer materials
- Plugs are individually packed in pairs and sold:
  - \* Uncorded = 100 pair/box
  - \* Corded = 100 pair/box
  - \* Corded = 1 pair in see-through plastic storage case with belt clip
- Independently tested/certified to NRR 27 (ANSI S3.19)
- CSA Class AL



S23421

PROD. NO.	Type	Shape	NRR	Colour	Package	Case Qty.
S23420	Uncorded	Tapered	27	Blue/Hi-Vis Green	100 Pair/Box	20/Box
S23421	Corded	Tapered	27	Blue/Hi-Vis Green	100 Pair/Box	20/Box
S23422	Corded	Tapered	27	Blue/Hi-Vis Green	1 Pair/Plastic Case	500

## H2O REUSABLE TRIPLE-FLANGE EARPLUGS

### H2O Reusable Earplugs—Tapered

- One size fits all
- Ridged for a better grip with insertion and removal
- Soft TPE flanges for comfortable fit and seal

PROD. NO.	Description	NRR	Class	Case Count
67220	Uncorded	26	A(L)	100 Pairs/Box; 4 Boxes/Case
67221	Corded	26	A(L)	100 Pairs/Box; 4 Boxes/Case

### H2O Metal-Detectable Reusable Earplugs

- Designed to deliver on performance and comfort and help you improve compliance
- Distinctive blue colour for easy compliance monitoring
- Individual packaging for hygienic storage
- Universal size
- Metal embedded in the earplug for easy detection

PROD. NO.	Description	NRR	Class	Case Count
13822	Corded	26	A(L)	100 Pairs/Box; 4 Boxes/Case

# EARPLUGS—PREMIUM BANDED



## Banded Earplugs

- Banded earplugs are designed to wear around the neck when not in use
- Ensures workers always have quality hearing protection when required
- Ideal for regular and intermittent applications—easily installed or removed
- Compliance enforcement is made easy due to the Hi-Vis green band
- Specially designed band shape is curved at the plug end—keeps the ear pods up and away from dirty and contaminated surfaces when not in use
- Comfortable blue earplugs/pods are easily replaced when dirty (S23431)
- Used extensively on construction work sites, at airports and race tracks, in factory and shop applications, and wherever reusable ear protection is required
- Independently tested/certified to NRR 25 (ANSI S3.19)
- CSA Class AL

PROD. NO.	Type	Shape	Colour	NRR	Package	Case Qty.
<b>S23430</b>	Banded	Tapered	Hi-Vis Green	25	1/Bag	320
<b>S23431</b>	Replacement Blue Plugs/Pods (Pair)			25	10 Pair/Bag	2,400



S23430

HEARING PROTECTION



S23431

Replacement Blue Plugs/Pods (Pair)

Specially designed to fit snug but with minimal pressure for all-day comfort!

Padded comfortable headband

Super-premium, ultra-soft cushioned ear cups—incredible comfort and fit

Dielectric thermoplastic material retains shape and pressure for consistent noise reduction



20774

## EAR MUFFS SUPER PREMIUM DIELECTRIC

\*\*\*  
BEST

### H70 Vibe® Premium Dielectric Ear Muff

- Jackson's exclusive **H70 Vibe®** ear muffs offer premium comfort, fit, and protection
- Stylish, modern, lightweight design
- Dielectric durable thermoplastic material protects you from electric shocks and shorts
- Headband, swivel fork arms, and cup pads have been carefully designed to deliver strength, durability, consistent noise reduction, and most importantly, to offer a comfortable snug fit with minimal pressure for all-day comfort
- Cup pads are super soft and comfortable—ideal for extended use
- Easily adjustable for quick and convenient positioning
- Features soft foam headband padding for maximum operator comfort and style
- Independently tested/certified to **ANSI S3.19**
- Available in both banded and hard hat cap-mount format for use with slotted hard hats such as Jackson's SC-6
- Available in three popular NRR ratings
- Comes in four-colour box with integrated fold-out hangtag
- CE certified



20775

# EAR MUFFS—SUPER PREMIUM DIELECTRIC



HEARING PROTECTION

## Vibe® Headband Style

PROD. NO.	Cup Colour	Headband	NRR Rating	Pkg. Qty.	Case Qty.
20773	Orange	Comfort Foam	23	1/Pack	20/Packs
20774	Red	Comfort Foam	26	1/Pack	20/Packs
20775	Black	Comfort Foam	29	1/Pack	20/Packs

## Vibe® Cap-Mount Style

PROD. NO.	Cup Colour	Mount	NRR Rating	Pkg. Qty.	Case Qty.
20776	Orange	Cap Mount	22	1/Pack	20/Packs
20777	Red	Cap Mount	25	1/Pack	20/Packs
20778	Black	Cap Mount	27	1/Pack	20/Packs



20773



20777



**INCREDIBLE  
COMFORT & FIT!**



20778



20776\*

DIELECTRIC MEANS ALL EXPOSED PARTS ARE PLASTIC OR RUBBER

\*HARD HAT AND FACE SHIELD SOLD SEPARATELY



Soft EVA foam headband



S23406

Soft EVA foam headband



S23404

Soft EVA foam headband



S23403

## EAR MUFFS—PREMIUM SERIES

- Sellstrom offers a full range of ear muffs offering premium features
- Stylish, modern, lightweight design
- Cup pads are soft and comfortable—ideal for extended use
- Strong stainless steel wire swivel-fork arms ensure strength and durability
- Easily adjustable for quick and convenient positioning
- Feature soft EVA head bands for maximum operator comfort and style

**\*\*  
BETTER**

### HP431 Premium Ear Muff

- The HP431 ear muff offers our highest NRR rating (31 dB)
- Ideal for work in very high-noise environments
- Independently tested/certified to NRR 31 (ANSI S3.19)
- CSA Class A

PROD. NO.	Cup Colour	Headband	NRR Rating	Pkg. Qty	Case Qty.
<b>S23406</b>	Black/Red	Soft EVA Foam	31 dB	10/Box	60

**\*\*  
BETTER**

### HP427 Premium Ear Muff

- Our most-popular premium-series ear muff
- Low profile “slim” design is ultra-lightweight and comfortable
- Folds into a very compact, easy-to-store size
- Independently tested/certified to NRR 27 (ANSI S3.19)
- CSA Class AL

PROD. NO.	Cup Colour	Headband	NRR Rating	Pkg. Qty	Case Qty.
<b>S23404</b>	Black/Orange	Soft EVA Foam	27 dB	10/Box	60

**\*\*  
BETTER**

### HP424 Premium Ear Muff

- Low profile “slim” design is ultra-lightweight and comfortable
- Folds into a very compact, easy-to-store size
- Independently tested/certified to NRR 24 (ANSI S3.19)
- CSA Class A

PROD. NO.	Cup Colour	Headband	NRR Rating	Pkg. Qty	Case Qty.
<b>S23403</b>	Black	Soft EVA Foam	24 dB	10/Box	40

## EAR MUFFS—PREMIUM DIELECTRIC

### HPD425 Premium Dielectric Ear Muff



- HPD425 ear muffs offer premium features and protection
- Stylish, modern, lightweight design
- Dielectric—protects you from electric shocks and shorts
- Hi-Vis green/black cups are highly visible even in low light conditions
- Cup pads are soft and comfortable—ideal for extended use
- Heavy-duty non-conductive swivel-fork arms ensure strength and durability
- Easily adjustable for quick and convenient positioning
- Features soft foam head band for maximum operator comfort and style
- Independently tested/certified to NRR 25 (ANSI S3.19)
- CSA Class A

PROD. NO.	Cup Colour	Headband	NRR Rating	Pkg. Qty	Case Qty.
S23407	Hi-Vis Green/Black	Soft EVA Foam	25 dB	10/Box	40



S23407

## EAR MUFFS—PREMIUM CAP MOUNTED

### HPS428 Premium Cap Mounted Ear Muffs



- Designed to mount on to most brands of slotted hard hats
- Cup pads are soft and comfortable—ideal for extended use
- Strong stainless steel wire swivel-fork arms ensure strength and durability
- Easily adjustable for quick and convenient positioning
- One of the highest NRR ratings for a cap-mounted muff (28 dB)
- Independently tested/certified to NRR 28 (ANSI S3.19)
- CSA Class A

PROD. NO.	Cup Colour	Head Band	NRR Rating	Pkg. Qty	Case Qty.
S23409	Black/Red	Soft EVA Foam	28 dB	10/Box	60



S23409  
(Hard hat not included)

## EAR MUFFS—ADVANTAGE SERIES

- Comfortable, lightweight, and economically priced
- Dielectric—protects you from electric shocks and shorts
- Cup pads are soft and comfortable—ideal for extended use
- Tough, long-lasting tension bands
- Easily adjustable for quick and convenient positioning

### H225 Ear Muffs



- Our most-popular and economically priced ear muff
- Attractive blue cups
- Comes in convenient clamshell package for display purposes
- Independently tested/certified to NRR 25 (ANSI S3.19)
- CSA Class A

PROD. NO.	Cup Colour	Headband	NRR Rating	Pkg. Qty.	Case Qty.
S23401	Blue	Curved Plastic	25 dB	10/Box	60



S23401



**JACKSON**<sup>®</sup>  
SAFETY

HEAD PROTECTION

WORKING SAFE  
MAKES SENSE

**Jackson Safety® Hard Hat Portfolio****C10****C10 c/w Adaptor****SC-6 Cap Style**

HARD HAT CUSTOMIZATION NOW AVAILABLE  
ON FULLY AUTOMATED EQUIPMENT.

## Types & Class Standards

Protective hard hats are classified according to the specific impact and electrical performance requirements they are designed to meet. All protective hard hats in accordance with this standard shall meet Type I impact requirements. In addition, all hard hats are further classified as meeting Class C, Class G, or Class E electrical requirements.

### Impact Types

**Type I:** Hard hats intended to reduce the force of impact resulting from a blow only to the top of the head.

**Type II:** Hard hats intended to reduce the force of impact from a top, lateral, or side blow to the head.

### Electrical Classes

**Class C (Conductive):** Class C hard hats are not intended to provide protection against contact with electrical conductors.

**Class G (General):** Class G hard hats are intended to reduce the danger of contact exposure to low-voltage conductors. Test samples are proof-tested at 2,200 volts (phase to ground). However, this voltage is not as an indication of the voltage at which the hard hat protects the wearer.

**Class E (Electrical):** Class E hard hats are intended to reduce the danger of exposure to higher-voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). However, this voltage is not intended as an indication of the voltage at which the hard hat protects the wearer.

### Optional Standards



**Reverse Donning:** Reverse-wearing-option hard hats must pass force transmission requirements whether they are worn facing forward or backwards in accordance with the manufacturer's wearing instructions.

**370™**


**SPEED DIAL**

Premium  
370 Speed Dial™  
ratcheting headgear

Slotted cap allows use with dozens of Jackson hard hat accessories including our exclusive Hard Hat Interchange System

14843

Smooth dome shape for improved impact deflection



Reverse donning rated

Longer bill for improved protection from sun and falling debris

## SC-6 PREMIUM CAP-STYLE HARD HAT



SC-6 Hard Hat works with the Hard Hat Interchange System

See pages 70 & 71 for HHIS details



14833



Comfortable 4 point suspension



### SC-6 Cap-Style Slotted Hard Hat—Non-Vented

\*\*\*  
**BEST**



Reverse donning

- Classic smooth dome shape for improved impact deflection
- Longer bill for improved protection from sun and falling debris
- Slotted adaptors allow use with multiple Jackson and Sellstrom hard hat accessories including face shield adaptors and ear muffs
- Lightweight, moulded in the **USA** from high-density polyethylene (HDPE)
- Meets reverse-donning standards
- 4-pt. ratchet suspension fits head sizes 6-1/2 to 8
- Features Jackson's **370 Speed Dial** ratcheting headgear—an industry best!
- Comfortable, replaceable sweatband
- Our most-popular hard hat!
- Meets ANSI Z89.1, Type 1, Class C, G, and E
- CSA certified to CSA Z94.1, Type 1, Class E



**370™**  
**SPEED DIAL**

PROD. NO.	Cap Colour	Suspension	Case Qty.
14833	Yellow	4-pt. 370 Speed Dial	12
14834	White	4-pt. 370 Speed Dial	12
14838	Blue	4-pt. 370 Speed Dial	12
14839	Orange	4-pt. 370 Speed Dial	12
14841	Red	4-pt. 370 Speed Dial	12
14843	Hi-Vis Orange	4-pt. 370 Speed Dial	12

### SC-6 Replacement Parts

PROD. NO.	Description	Case Qty.
14936	4-Pt. Suspension	6
14937	2-Pt. Chin Strap	12/Bag
14958	Sweatband	25/Bag

# JACKSON BUMP CAPS, ADAPTORS, AND WINDOW SOLUTIONS

## C10 Bump Cap Series (Bump Caps only)

- Bump caps are used to protect your head from minor bumps and scalp lacerations
- 4-pt. pin-lock suspension fits head sizes 6-1/2 to 8-1/4
- Features an absorbent brow pad for added comfort
- Can be customized with your company logo and branding needs



PROD. NO.	Cap Colour	Suspension	Case Qty.
14809	Yellow	Pinlock	12
14811	White	Pinlock	12
14812	Green	Pinlock	12
14813	Blue	Pinlock	12
14814	Orange	Pinlock	12
14815	Red	Pinlock	12

## C10 Bump Cap Series c/w Face Shield Attachment

- Same great features as above but includes an installed face-shield adaptor
- Exclusive attachment converts your bump cap into a cap/face-shield combo
- Uses Jackson windows 28764 8" x 15.5" x .035" clear PETG anti-fog window
- The C10 bump cap with 28764 anti-fog window combination is ideal for food processing applications



PLEASE NOTE: WINDOWS SOLD SEPARATELY

PROD. NO.	Cap Colour	Suspension	Case Qty.
20186	White	Pinlock	12
20187	Yellow	Pinlock	12
20188	Blue	Pinlock	12
20189	Green	Pinlock	12
20191	Red	Pinlock	12
20192	Orange	Pinlock	12

## C10 Bump Cap Replacement Parts

PROD. NO.	Description	Case Qty.
20194	4-Pt. Suspension	6
18428	Sweatband	12/Bag

PLEASE NOTE: The C10/window combination shown on this page does not meet any CSA requirements because bump caps do not fall under a CSA standard. This combination is ideal for low impact / splash applications such as the food processing industry especially given the Anti-Fog capabilities of the window.

# JACKSON<sup>®</sup>

SAFETY



HEAD PROTECTION

It's as **EASY** as 1,2,3!

**1**

Order Jackson Safety's C10 bump cap with face-shield adaptor (20186-20192)



**2**

Attach our new Jackson Safety 8" x 15.5" x .035" Shape E/N face-shield window with **anti-fog** coating (28764)



**3**

You're safe to go with a complete bump cap, adaptor and **anti-fog** face shield kit!



JACKSON SAFETY

## HARD HAT INTERCHANGE SYSTEM



HEAD PROTECTION

It's as **EASY** as 1,2,3!

**1**



Attach HHIS hard hat mounting bracket (with exclusive quick release button) to cap style slotted hard hat.

**The All-In-One Safety Solution.** Injuries can happen in a split second. Now it's easy to stay protected with the **Jackson Safety<sup>®</sup> Hard Hat Interchange System.** It lets you add, remove, or switch between your face shield or welding helmet, without removing your head protection.

In accordance with ANSI Z87.1, the system was designed to protect against multiple combinations of hazards. Remain safe, productive, and compliant with the Hard Hat Interchange System. It's worker preferred and safety-manager enforced.

- Quickly switch between face shields and welding helmets without removing hard hats
- Meets ANSI standards when PPE products are used separately or combined
- Hear the audible click—know your PPE is assembled correctly without the need for visual inspection
- One-button action provides quick release
- Vertical lock-in eliminates the annoyance of helmet creep
- HHIS headgear system comes fully assembled and ready to use
- Made from lightweight polypropylene
- Dielectric—keeps your hard hat Class E rated!

**2** Choose your **HHIS** equipped **HEAD TOP**

### Quad 500<sup>®</sup>



14225 /14235

### HHIS Face Shield Kit



38425

### Welding Helmets

HSL, HLX OR INSIGHT



38426

Choose one of 4 **FACE SHIELD** windows

29087



**SHAPE B**  
8" x 15.5" x .060"  
Polycarbonate  
Moulded

29080



**SHAPE B**  
8" x 15.5" x .060"  
PC IRUV5  
Moulded

29106



**SHAPE D**  
9" x 15.5" x .040"  
Polycarbonate  
Aluminum Bound


30706



**SHAPE E**  
8" x 15.5" x .040"  
Polycarbonate

**3**

Pushing the HHIS quick-release button allows fast and easy attachment/removal of face protection without ever removing your hard hat!



Quick release button




### Please Note:

An SC-6 hard hat used in conjunction with an HHIS-equipped Quad 500, or a 38425 HHIS face shield headgear with any one of the 4 windows shown is **CSA** certified to **Can/CSA Z94.3** standards.

# HARD HAT INTERCHANGE SYSTEM



## HARD HAT INTERCHANGE SYSTEM (HHIS) OPTIONS

PROD. NO.	Description	Case Qty.
38423	 <b>Replacement HHIS Kit</b> for 14225/14235 QUAD 500®	6
38425	 <b>HHIS Face Shield Kit</b> contains all components necessary to mount face shields to your hard hat	6
38426	 <b>HHIS Welding Helmet Kit</b> contains all components necessary to mount welding helmets to your hard hat  Helmet not included	6



HHIS Mounting Brackets



HHIS Mounting Blades

## DRYBROW SWEATBAND

- Keeps you cool and prevents perspiration from running into your eyes in hot and humid conditions
- Ideal for all applications where workers need to be kept cool and comfortable
- Individually sleeved for increased shelf life and vending machine incorporation
- **Finished dimensions:** 8.7" long x 1.6" wide x 5 mm thick

PROD. NO.	Description	Case Qty.
16750	Drybrow Sweatband	25/Bag



16750

## Hard Hat Customization Program

Did you know? SureWerx recently acquired new, state-of-the-art automated hard hat customization equipment, allowing corporate logo placement on all Jackson-brand hard hats.



Contact your local Jackson distributor for complete details.

## RESPIRATORY PROTECTION

Jackson Safety<sup>®</sup> particulate respirators deliver the protection you expect and the comfort you need for all-day wear.

### Colour-Coded Particulate Disposable Respiratory Protection

Jackson Safety <sup>®</sup> Respirators							
PROD. NO.	Protection Level			Colour Code			Valve
	N95	P95	N99	Blue	Yellow	Red	
12978							None
64230	•			•			None
64235	•			•			None
64240	•			•			Single
64420		•			•		Single
64520			•			•	Single



<b>R30</b>	N99 Particulate Respirator
<b>R20</b>	P95 Particulate Respirator
<b>R10</b>	N95 Particulate Respirator
<b>R05</b>	Disposable Dust Mask

### The New R10 N95 Standard for All-Day Comfort, Fit, and Safety!

That's right! Jackson Safety is pleased to introduce an all-new N95 NIOSH-approved foldable disposable respirator designed for maximum all-day comfort. When your job requires the wearing of a protective mask, our Jackson 64235 introduces a new ultra-soft, ultra-comfortable respirator that significantly reduces facial irritation and discomfort. The pouch-style breathing chamber offers exceptional breathability while at the same time ensuring a minimum 95% filtration efficiency.

### LOOK AT THESE OUTSTANDING FEATURES:

- Ultra-soft, non-irritating latex-free lining offers superior comfort over traditional N95 respirators
- Pouch-style breathing chamber provides exceptional breathability—check and compare!
- Two 1/2" extra-wide head straps and an adjustable nose clip further improves comfort and helps to ensure a tight facial seal, preventing leakage around the mask edges
- Nose clip reduces potential fogging of glasses and face shields
- Unlike traditional N95 masks, these respirators fold flat, reducing storage space requirements and shipping costs, as well as reducing the chance of product damage
- N95 NIOSH rating provides a minimum 95% filtration efficiency of 0.3 micron particles
- Features two layers of electrostatically treated melt-blown filter media,
- A single-use respirator designed for use by skilled professionals in critical environments who are mandated to wear specific PPE to protect against the transfer of aerosolized solid and non-oil-based liquid/particulate matter
- Compatible with a variety of SureWerx protective eyewear and hearing protection
- Packed 50 per bag, 6 bags (300 pieces) per case



64235

PROD. NO.	Description	Protection	Shape	Baq Qty.	Case Qty.
64235	N95 Particulate Respirator	N95	Pouch Style	50	6 Bags/300 Pcs



# RESPIRATORY PROTECTION

## R05 Disposable Dust Mask

- Basic protection against non-toxic dust, household allergens, mold, and pollen
- Adjustable nose clip provides a secure fit
- Universal size
- Does not provide lung protection

PROD. NO.	Description	Case Count
12978	Disposable Dust Masks	50/Box, 20 Boxes/Case

## R10 N95 Particulate Respirator

- Comfortable, soft foam nose pad
- Highly visible, colour-coded straps
- Knitted elastic straps ultrasonically attached
- Not made with natural rubber latex
- Code 64240 meets heat and flame resistance per ANSI/ISEA 110-2009

PROD. NO.	Description	Protection	Strap Colour	Case Count
64230	N95 Particulate Respirator (No Valve)	N95	Blue	20/Box, 8 Boxes/Case
64240	N95 Particulate Respirator (Single Valve)	N95	Blue	10/Box, 8 Boxes/Case

## R20 P95 Particulate Respirator

- Effective against all oil-based and non-oil-based particulate aerosols and dust that do not emit harmful vapours
- Soft foam nose pad with bendable nose clip
- Highly visible, colour-coded straps
- Knitted elastic straps ultrasonically attached
- Not made with natural rubber latex

PROD. NO.	Description	Protection	Strap Colour	Case Count
64420	P95 Particulate Respirator (Single Valve)	P95	Yellow	10/Box, 8 Boxes/Case

## R30 N99 Particulate Respirator

- Full-perimeter foam inside mask
- Adjustable head straps
- Soft foam nose pad with bendable nose clip
- Highly visible, colour-coded straps
- Knitted elastic straps ultrasonically attached
- Not made with natural rubber latex

PROD. NO.	Description	Protection	Strap Colour	Case Count
64520	N99 Particulate Respirator (Single Valve)	N99	Red	10/Box, 8 Boxes/Case

**PLEASE NOTE:** The service life of all filters is limited by considerations of hygiene, damage, and breathing resistance.

All filters should be replaced whenever they are damaged, soiled, or causing noticeably increased breathing resistance.

**DUE TO COVID-19, PRODUCT AVAILABILITY WILL VARY ON OUR RESPIRATORY MASKS**

Please contact a SureWerx representative for delivery information.

**JACKSON**  
SAFETY



12978



64230



64420



64520

RESPIRATORY PROTECTION

JACKSON SAFETY

### Particulate Respirator Filter Definitions—NIOSH 42CFR84:

N95	95% filter-efficiency level effective against particulate aerosols free of oil
N99	99% filter-efficiency level effective against particulate aerosols free of oil
P95	95% filter-efficiency level effective against all particulate aerosols



***sellstrom***<sup>®</sup>  
**KneePro**



**ULTIMATE  
COMFORT  
ALL DAY  
EVERYDAY**

**KNEE PROTECTION**

# sellstrom®

KNEE PROTECTION

## Simply the BEST knee pads made!

Hard plastic  
outer shells are  
extremely strong

Non-marking  
Grip-Strip for use  
on any surface

S96211  
"Hybrid"



Quick-Snap clips  
ensure quick and  
easy removal

Hinged with metal rivet  
for ease of movement  
while kneeling or walking

Soft elastic woven straps are  
placed well above and below  
the knee—ensures proper  
pad placement all day long  
without any binding behind  
the knee!

Gel packs are securely placed inside a three-layer,  
3/4" (19mm) closed-cell foam compartment and are  
guaranteed to stay leak free

## KNEE PADS PREMIUM GRADE

### KneePro Ultra Flex III™ Knee Pads



S96110

## KneePro

- Sellstrom's **KneePro Ultra Flex III** knee pads have been the industry standard for more than 30 years
- Simply the best knee pads made!
- The articulating hinged design ensures proper placement all day long—set them once and forget you are even wearing them
- Soft elastic, extra-wide woven straps with reinforced sewn ends are placed well above and below the knee—no Velcro, which contaminates over time
- Straps stay aligned with your legs in any position—will not bind behind the knee
- Built with strong, flexible, hard plastic outer shells that extend well above, below and to the inside/outside of the knee for added knee and leg protection
- Metal rivet hinge ensures long-lasting protection while kneeling or walking
- On the outside, pads feature a perfectly placed curved non-marking Grip Strip
- Grip-Strip designed for use in all applications without gumming up
- Grip Strips are easily replaceable
- On the inside, pads offer a long-lasting 5/8" closed cell foam pad for maximum comfort and protection (KneePro Ultra Flex III version)
- Sweat does not penetrate closed-cell foam—lasts longer and won't "stink"
- Our **KneePro Hybrid Ultra Flex III** version offers even greater user comfort and protection through the use of a three-layer, 3/4"-thick closed-cell foam pad with built-in gel packs—the ultimate in knee protection!
- Virtually indestructible—built for years of hard work and heavy use
- Specially designed Quick-Snap clips ensure quick and easy removal
- Comes in convenient, reusable mesh bag with one extra Quick-Snap clip
- Pads weigh only 9 oz. each
- Straps, Grip Strips, and speedclips are replaceable
- Excellent for welders, ship builders, roofers, construction workers, flooring installers, and anywhere hard-working knee pads are required

# KNEE PADS—PREMIUM GRADE

## KneePro Ultra Flex III™ Knee Pads

PROD. NO.	Mod. No.	Shell Colour	Grip Strip	Pkg. Qty.
S96110	KPUF03	Grey	Orange	6/24 Pair
S96111	KPUF03-B	Black	Black	6/24 Pair
S96112	KPUF03-G	OD Green	OD Green	6/24 Pair
S96113	KPUF03-T	Tan	Tan	6/24 Pair

## KneePro “Hybrid” Ultra Flex III™ Knee Pads

- The **KneePro Hybrid Ultra Flex III** offers all of the same legendary features as the KneePro Ultra Flex III pad but has the added advantage of a built-in gel pack for added comfort and fit
- This is the ultimate knee pad for extreme applications where users are on their knees for extraordinarily long periods of time
- Unlike many gel pads on the market, our gel packs are securely placed inside a three-layer, 3/4" closed-cell foam knee-protector compartment and are guaranteed to stay leak free
- Available with black shells and Hi-Vis orange Grip Strip

PROD. NO.	Mod. No.	Shell Colour	Grip Strip	Pkg. Qty.
S96211	KPUF03-H	Black	Hi-Vis Orange	6/24 Pair

## KneePro Ultra Flex III™ Knee Pad Replacement Parts

PROD. NO.	Description	Set
S96110-6	Knee Pad Pro III Replacement Straps and Clips (Kit)	4 of Each
S96110-7	KneePro III Replacement Grip Strips—Orange (PR)	1 Pair (2 pcs.)



S96111



S96112



S96113



S96110-6



S96110-7

# SPARKS PRODUCTIVITY

*sellstrom*®

**JACKSON**®  
SAFETY



# WELDING HELMETS, FILTERS, & PLATES

# WELDING FILTERS

## SAFETY FIRST

### Meets ANSI, CSA, and CE standards

- ADFs are built and tested to meet or exceed ANSI, CSA, and CE standards

### Protection against UV and IR light


- ADFs are designed so that regardless of dark or clear state, welder's eyes are always protected against harmful UV and IR light occurring during welding process

### Excellent switching speed

- Switching speed and detection of welding arc prevent light flash from reaching welder's eyes

### Safe in any weld process

- Variable shade level, sensitivity, and delay allow for adjusting protection parameters to any weld process



## EASE OF WORK

- ADFs can be adjusted to any type of welding by selecting shade level, sensitivity to welding arc, and opening time delay
- Selectable operation mode (Weld/Grind/Cut) allows for permanent eye protection during the whole metal processing operation
- Increased productivity as both hands can be used

### Wide selection of product performance levels



#### ● Simple welding tasks

Use passive or single-shade ADFs

#### ● ● Entry level welding tasks


Limited shade range, average speed, and window size—cost effective

#### ● ● ● Professional tasks

All required features at moderate cost with added functionality

#### ● ● ● ● Extremely demanding tasks


Highest optical performance, switching speed, sensitivity range, and various modes of operation



**OPTICAL PERFORMANCE**

- Available highest level of 1/1/1/1 with highest optical clarity, homogeneity, and wide viewing angle
- Available true colour for better process control
- Large selection of available viewing-area sizes from 35 to 80 cm<sup>2</sup>

– 1/1/1/1  
– True Colour  
– S to XL viewing area



**ADDITIONAL FEATURES**

**Highest-speed ADFs**

- Surface-mode technology on some models

**ADF power source selection**

- Replaceable batteries (alkaline or lithium)
- Fixed batteries—no battery changes for the lifetime of the product
- Solar cells for battery-life extension

**Low-weight and ultra-slim ADFs**

- Reduced weight and ultra-slim ADFs available

**Warranty**

- 1, 2, or 3 year warranty depending on ADF model



# PASSIVE vs. AUTO-DARKENING FILTER HELMETS

**Passive helmets offer great protection.**

**Auto-darkening filters offer protection and productivity.**

Both passive and Auto-Darkening Filter (ADF) welding helmets provide excellent eye protection. Research shows that ADF helmets also offer impressive productivity gains, as well as greater user comfort.

## ADDED BENEFITS OF AN ADF

### Increased accuracy

- Because the welder can always see what he's doing, and start in exactly the right spot

### Increased comfort

- By eliminating the repetitive "lifting and nodding" that can cause neck strain

### Increased protection

- From injuries caused by welding, chipping, or grinding in the proximate area

### Increased peace of mind

- Because even if the ADF should not become active during an arc, it still protects eyes from serious damage

### Increased productivity

- By eliminating the time it takes to lift and nod the helmet before and after each weld

## TRUE COLOUR ADF

- Jackson Safety and Sellstrom auto-darkening filters with premium 1/1/1/1 optical classification and True Colour technology provide:

### A clear view from various angles

- Which can reduce eye fatigue (the need to move, adjust, and refocus)

### Superior optical quality

- Allows you to do your most-creative and productive work



## What is Optical Class?

Optical class is becoming a global standard that originated as a European standard tested by third parties. Welding helmets' auto-darkening filters are rated from 1 (best) to 3 (worst) in the following optical classes: Optical Clarity, Diffusion of Light, Homogeneity, and Angular Dependence. 1/1/1/1 is the best rating an auto-darkening filter can achieve.


### OPTICAL CLARITY

Measures how clear or distorted objects look through the filter



### DIFFUSION OF LIGHT

Looks at impurities of the glass




### HOMOGENEITY

Examines the consistency of the shade at different parts of the glass



### ANGULAR DEPENDENCE

Looks at shade consistency at different angles



Welders at all experience levels know the value and essential protection requirements of the right helmet and filter for the right job. That's why we provide a range of welding helmets and filters with features that are just right for you.

	NEW!	NEW!	UPGRADED!			
ADF Series	555	455	Insight	S26400	S26200	S26100
Quality	<b>*** BEST</b>	<b>*** BEST</b>	<b>** BETTER</b> <b>*** BEST</b>	<b>** BETTER</b> <b>*** BEST</b>	<b>** BETTER</b>	<b>* GOOD</b>
Compatible Shells	Translight+	Translight Flip	HLX, HSL	WHP	WHM	WHB
Available Designs	Black	Black, black with hard hat	Black, graphics	Black	Black	Black
Shade Range	3, 5-14	4, 5-13	4, 9-13	4, 5-13	4, 9-13	4, 9-13
Switching Speed	1/25,000 sec	1/40,000 sec	1/10,000 sec	1/20,000 sec	1/15,000 sec	1/10,000 sec
Cartridge Size	4.5" x 5.25"	90 x 100mm	4.5" x 5.25"	4.5" x 5.25"	4.5" x 5.25"	3.54" x 4.33"
Viewing Area	3.23" x 3.86"	2.5" x 3.86"	2.35" x 3.8"	3.28" x 3.94"	2.36" x 3.94"	1.57" x 3.54"
Viewing Area sq. in.	12.47 sq. in.	9.65 sq. in.	8.93 sq. in.	12.92 sq. in.	9.30 sq. in.	5.56 sq. in.
Optical Class	1/1/1/1	1/1/1/1	1/1/1/1	1/1/1/1	1/1/1/2	1/1/1/2
True Colour	●	●	●	●		
Welding	●	●	●	●	●	●
Grinding	●	●	●	●	●	●
Cutting	●	●		●		
TIG < 5 amps or Pulse TIG	●	●	●	●		
Torch & Grind	●	●		●		
Submerged Arc	●	●	●	●	●	●
Plasma Arc, Stud Arc, ElectroGas, Electroslag, Flux Cored ARC, STICK, MIG	●	●	●	●	●	●
370 Speed Dial Headgear				No	No	No
Special Features	External fine-shade tuner and grind button	Industry-leading extra-large grinding face shield	Professional grade at market-friendly price, newly improved optical clarity	Saves up to three preset welding configurations	Great features at market-friendly price	Value priced
Warranty	3 years	3 years	2 years	2 years	2 years	2 years



# WELDING HELMET SHELLS

## —ADF Options

ADF	JACKSON SAFETY					SELLSTROM	
Series	Translight+	Translight Flip	Rebel	HSL (Shadow)	HLX (Halo X)	WHP/WHM	WHB
							
<b>Key Features</b>	Modern design to reduce spark and spatter landing points, large viewing window, engineered to reduce neck strain	Flip-style welding helmet with large 46 sq. in. face-shield viewing area and top-grade welding ADF	An exclusive compact welding mask featuring modern digital ADF controls. Ideal for use under hard hats and comes with FR hood	Classic HSL shadow-style helmet, narrow and designed with additional neck protection from sparks and spatter	Made with patented hydroflex plastic, ultra lightweight at 6 oz	Ultra-lightweight, modern design for optimal comfort	External controls to adjust shade or grind mode without removing helmet
<b>Cartridge Size</b>	4.5" x 5.25"	90 x 110 mm	2" x 4.25"	4.5" x 5.25"	4.5" x 5.25"	4.5" x 5.25"	3.54" x 4.33"
<b>Grinding Face Shield</b>	No	Yes	No	No	No	No	No
<b>370 Speed Dial Headgear</b>			No			No	No

# WELDING HELMET SHELLS

## —Passive Options

PASSIVE	JACKSON SAFETY			SELLSTROM
Series	HSL-1 (Shadow)	HSL-2 (Shadow)	HSL-100 (Shadow)	290 Series
				
<b>Key Features</b>	Classic passive helmet with extended neck protection from sparks and spatter	Lift-front-style helmet to easily switch from welding to grinding function	Narrow shell design is perfect for work in tight spaces	Contains extended bib for added spark and spatter protection
<b>Compatible Options</b>	2" x 4.25" fixed front	2" x 4.25" lift front	4.5" x 5.25" fixed front	2" x 4.25" fixed front
<b>370 Speed Dial Headgear</b>				No

### Welding Helmets and Welding Filters

Designed to perform in a wide range of welding applications, Jackson Safety®, and Sellstrom® welding helmets are available in a variety of styles, shapes, and base materials including our latest Translight 455 Flip, Translight+ Extra-Large View ADF helmets, and the new Rebel welding mask.

Choose from a selection of filters—from passive to digital ADF platforms.

True Colour technology

Compatible with prescription glasses

One-piece design protects against UV and IR leakage, as well as spark and spatter penetration

Convenient push-button digital controls

Exclusive wrap-around face shield for added protection



## REBEL™ ADF Welding/Goggle Mask—Digital

### Rebel™ ADF Welding/Goggle Mask—Digital

The all new, exclusive Jackson Safety® Rebel™ Welding Mask is a great addition to our welding program, incorporating modern ADF technology. The Rebel is a lightweight product designed to reduce neck strain. In addition, the Rebel is designed to fit under most hard hats, including Jackson's SC-6 model, without the need for adaptor brackets, making it extremely versatile.



46200

\*\*\*  
BETTER

- The Rebel features an exclusive, modern, digital ADF control system
- Goggles are constructed with the face shield as one complete unit
- Complete protection from sparks and spatter risks to front of face when used with the fire-resistant hood
- The Rebel's close-fitting goggle protects against UV and IR rays when used with the fire-resistant hood
- Designed to fit over most prescription glasses—no cheater lenses required
- Features a replaceable clear outer lens for added ADF protection (46930—5 pack)
- Packaged in attractive, full-colour POP box—case quantity 6
- No adapters needed to use with hard hats
- Low TIG amp rated >10 A
- Battery life lasts up to 1,300 hours (batteries replaceable)
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards
- CE certified

PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	True Colour	Modes	Optical Clarity	Switching Speed	Controls	Weight	No. of Sensors	TIG Rating	Warranty
46200	2" x 4.25"	1.38" x 3.54"	3, 5 to 12	Yes	Welding	1/1/1/2	1/15,000 sec.	Digital	8.8 oz.	2	>10 A	2 years

# ADF WELDING MASK—REBEL™



WELDING MASK—ADF




Contains a fire-resistant hood for head protection

Comfortably fits under hard hats

Light and easy to remove



PROD. NO.	Description	Case Qty.
46200	Rebel ADF Digital Welding/Goggle Mask (Kit)	6
46600	Replacement Fire-Resistant Hood	10
46930	Rebel™ Replacement Lens Kit (Pack contains 5 External and 3 Internal Lenses)	100



46930



Super lightweight and ergonomically balanced to reduce stress and fatigue

True Colour ADF  
1/1/1/1 rating;  
4.5" x 5.25" filter

Switching speeds of  
1/25,000 sec

Four-sensor  
technology

Specially designed  
neck bib provides  
superior protection  
from spatter



**12.47** sq.  
in.  
**VIEWING AREA!**

Designed for use  
with respirators

**370**<sup>™</sup>

**SPEED DIAL**

Features Jackson Safety<sup>®</sup>  
premium 370 series Easy Grip-  
Easy Turn ratcheting mechanism—  
an industry best!

Convenient  
external grind-  
mode button

External shade adjuster—  
finely tune shades up to  $\pm 1$   
full shade in .2 shade increments

## TRANSLIGHT™ + 555

Premium Large View ADF Welding Helmet



**\*\*\*  
BEST**

### Translight™ + 555 Premium Auto-darkening Helmets

- Translight™ shell has a sleek, modern design—a Jackson Safety exclusive!
- Helmet is super lightweight and ergonomically balanced to reduce stress and fatigue
- Auto-darkening filter meets 1/1/1/1 Optical Clarity Standard, the highest in the industry
- Includes an external grind button so end users can switch modes with ease
- Features the new external shade adjuster to help aid in visual focus
- The shade adjuster can finely tune shades up to  $\pm 1$  full shade with .2 shade-adjusting increments
- Welding, grinding, cutting, and carbon arc gouging can be performed with the versatile 555 ADF
- Includes patented 370 Speed Dial ratcheting headgear system
- Advanced digital controls are a great quality-of-life enhancement for welders
- Switching speeds of 1/25,000 second
- Packaged in attractive, full-colour POP box—case quantity 4
- Powered by solar technology and two CR2032 replacement batteries
- Touch-pad controls allow quick and easy function selection
- Features integrated mag-lens holder
- Industry leading 3/5–14 Shade range—allows use in high-amp welding applications
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards
- CE certified



46250

PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	True Colour	Modes	Optical Clarity	Switching Speed	Controls	ADF Weight	Total Weight	No. of Sensors	TIG Rating	Warranty
46250	4.5" x 5.25"	3.23" x 3.86"	3, 5 to 14	Yes	CAG, welding, cutting, grinding	1/1/1/1	1/25,000 sec.	Digital	7.6 oz.	1.35 lbs.	4	>3 A	3 years


# ADF WELDING HELMETS—TRANSLIGHT™ + SERIES



WELDING HELMETS-ADF

The new Jackson Safety **Translight™ Series** contains our latest innovative welding helmet designs. We mix industry leading features with new advancements in technology to transcend the welding industry. All Translight™ helmets come with our patented **370 Speed Dial™** ratcheting headgear system, to create the ultimate balance in comfort and functionality. The latest advancements in True Colour technologies are included for optimum welding optics. Our Translight™ product line is packed with new features and improvements to keep workers safe and highly productive.

PROD. NO.	Description	Case Qty.
46250	Translight+ 555 ADF Helmet Complete	4
46452	Translight+ 555 Replacement ADF only	10
46550	Translight+ Replacement Shell—Black	20
46915	555 Internal Safety Plate (Pack of 10)	100
46925	555 External Safety Plate (Pack of 10)	100
46995	555 Replacement Retainer	10
20693	Translight 555+ Replacement 370 Headgear	6



555 Digital ADF



Featuring the exclusive Jackson Safety® **370 SPEED DIAL™** ratcheting headgear system!

JACKSON SAFETY

Super-lightweight ADF and shell technology ensures minimal operator strain and fatigue

ADF controls are easily accessible when in the up position

Extra-large face shield—46 sq. inch

Superior peripheral vision

Specially designed neck bib provides superior protection from spatter

True Colour ADF 1/1/1/1 rating

Convenient left and right tabs allow easy raising and lowering of the flip module

The ADF flip module has been specially designed to allow a completely unobstructed view when in the up position

**9.65** sq. in. **VIEWING AREA!**

**370™**  
**SPEED DIAL**

Features Jackson Safety® premium 370 series Easy Grip-Easy Turn ratcheting mechanism—an industry best!



46240

## TRANSLIGHT™ 455 FLIP

### Premium Flip ADF Welding Helmet



**\*\*\* BEST**

### Translight™ 455 Flip Premium Auto-Darkening Helmets



46240

- Translight™ 455 Flip welding helmet comes with an easy-to-use lift mechanism to raise up the welding ADF assembly, which exposes a clear face-shield window for grinding and chipping operations, offering exceptional peripheral vision
- The Jackson Translight™ 455 Flip welding helmet features a modern, carefully designed, sleek, ergonomic, super-lightweight shell and ADF, ensuring maximum protection while providing optimal comfort and reduced operator stress and fatigue
- Auto-darkening filter meets 1/1/1/1 Optical Clarity Standard, the highest in the industry
- The shell contains left-to-right tabs that allow easy raising and lowering of the flip module
- Welding, grinding, cutting, and carbon arc gouging can be performed with the versatile 455 welding helmet
- Includes patented **370 Speed Dial** ratcheting headgear system
- Switching speeds of 1/40,000 sec. are the quickest in the industry
- Low TIG amp rated >2 amps
- Powered by solar technology and two CR2032 replacement batteries
- Packaged in attractive, full-colour POP box—case quantity 4
- Features integrated mag lens holder
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards
- CE certified

PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	True Colour	Modes	Optical Clarity	Switching Speed	Controls	ADF Weight	Total Weight	No. of Sensors	TIG Rating	Warranty
46240	90 x 110 mm	2.5" x 3.86"	4, 5 to 13	Yes	CAG, welding, cutting, grinding	1/1/1/1	1/40,000 sec.	Digital/Analog	4.1 oz.	1.6 lbs.	4	>2 A	3 years

# ADF WELDING HELMETS—TRANSLIGHT™ FLIP SERIES




WELDING HELMETS-ADF

The **Translight™ 455 Flip** helmet delivers world-class grinding and welding with the flip of the lid. This super-lightweight helmet offers the ability to perform pre/post-preparation work and welding operations in one versatile product. The combination of a robust welding helmet and oversized grinding visor (46 sq. in.) makes this unique system suitable for all metal-fabrication applications.

We have also fitted the Translight™ 455 Flip with the highest-rated **1/1/1/1** optical clarity filter for improved welding efficiency while reducing operator fatigue. Professional-grade components for professional-grade welders.

PROD. NO.	Description	Case Qty.
46240	Translight 455 Flip Welding Helmet with ADF—Black	4
46442	Translight 455 Flip Replacement ADF	10
46540	Translight 455 Flip Replacement Shell—Black	20
46640	Translight 455 Clear Face Shield Replacement Windows (Pack of 5)	10
46914	Translight 455 Internal Safety Plate (Pack of 10)	100
46923	455 External Safety Plate (Pack of 10)	100
46991	455 Flip Spring Mechanism Kit	10
20693	Translight 455 Flip Replacement 370 Headgear	6



455 Digital/Analog ADF



Featuring the exclusive Jackson Safety® 370 Speed Dial™ ratcheting headgear system!



JACKSON SAFETY

- Safety glasses with side protection are to be used under the helmet during all welding applications. These will protect the worker against flying metal, slag chips, grinding fragments, cutting debris, and similar hazards that often ricochet under the user's helmet.
- When choosing a welding helmet, make sure it meets the ANSI/CSA standards and that it is the right industrial grade for the weld job.
- Using a welding screen will reduce the amount of dangerous UV light that other workers are exposed to when welding is being performed.



# ADF WELDING HELMETS—INSIGHT SERIES

**BETTER** **BEST**

## Insight ADF Welding Helmet

Jackson Safety's **Insight ADF** provides professional-grade quality at an affordable price.

The Insight Series is offered in both HLX (Halo X) and HSL (Shadow) helmet configurations, but can also be easily fitted into both of the Sellstrom WHP and WHB series shells.

Our Insight series remains our most-popular-selling ADF welding helmet, but in an ongoing effort for product improvements, and through end-user customer feedback,

we have now **upgraded the Insight ADF to include a 1/1/1/1 optical rating and True Colour technology!**

This improvement offers far-superior welding clarity and ensures significant reductions in eyestrain. Whether you are a professional welder or a weekend warrior, our Insight ADF welding helmet provides incredible performance at an affordable price.



- Newly updated to highest optical class 1/1/1/1
- Newly updated with True Colour
- Digital controls
- Weld and grind modes
- Variety of graphic helmet options
- ADF compatible with HSL, HLX, WHP, and WHM shells
- Meets ANSI Z87.1, CSA Z94.3 compliant




ADF WELDING HELMETS—INSIGHT SERIES



HSL—Shadow  
46129



HLX—Halo X  
46131



## OUR MOST POPULAR ADF HELMET SERIES

46128

**9.3** sq. in.  
**VIEWING AREA!**



Featuring the exclusive Jackson Safety® 370 Speed Dial™ ratcheting headgear system!



Use HHIS  
38426 Adaptor



20696

PROD. NO.	Description	Case Qty.
46129	HSL Welding Helmet with Insight ADF—Black	1
46131	HLX Welding Helmet with Insight ADF—Black	1
46128	Insight ADF Cartridge	1
41589	Insight Safety Lens Kit—5 external, 2 internal	10
41594	Insight Internal Safety Plate—10 pack	10
20696	370 Speed Dial Headgear System	1
38426	Hard Hat Interchange System (HHIS)	1

Filter Dimensions	Viewing Area	Shade Range	True Colour	Modes	Optical Clarity	Switching Speed	Controls	Weight	No. of Sensors	Warranty
4.5" x 5.25"	2.36" x 3.94"	4, 9 to 13	Yes	Welding, grind, torch	1/1/1/1	1/10,000 sec.	Digital	24 oz.	4	2 years



### PREMIUM SERIES Auto-darkening Helmet



#### S26400 Premium Series

- Blue-lens technology allows more colours of the visible light spectrum to come through the lens for natural and more-accurate tones
- Includes four arc sensors for amazing clarity, enhanced definition, and reduced eye fatigue
- Welding helmet can be used for TIG (>5A), MIG, and stick application
- Wider viewing area is ideal for difficult work angles
- Full digital operation—shade, sensitivity, delay, and weld/grind control
- Memory function allows the operator to store settings for future use (three selections)
- Solar and battery operated and includes low-battery warning
- Lightweight design is perfect for extended use
- Internal controls for maximum protection
- Ideal for the professional welder and excellent for use in steel fabrication, steel erection, ship building, refinery construction, and much more
- Design allows for use of magnifier plate
- Meets and exceeds ANSI Z87.1 and CAN/CSA-Z94.3 standards
- CE certified



#### PROD. NO. Description

**S27740** Replacement ADF filter

**S27006** Replacement Headgear

**S19454** Replacement Cover Plates



PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	Power Control	Shade Control	Switching Speed	Sensitivity	Delay	Dark to Light	No. of Sensors
<b>S26400</b>	4.5 x 5.25"	3.28" x 3.94"	4, 5 to 13	Automatic	Internal	.08 ms	Adjustable	Adjustable	0.1 s-0.9 s	4

# ADF WELDING HELMETS— ADVANTAGE PLUS SERIES

**sellstrom®**

ADF WELDING HELMETS—ADVANTAGE PLUS SERIES | S26200

Wider viewing area is ideal for difficult work angles—2.36" x 3.94"

**9.3** sq. in.  
**VIEWING AREA!**

Designed for use with respirators



**\*\*  
BETTER**

Lightweight for extended use

S26200

## ADVANTAGE PLUS SERIES

### Auto-darkening Helmet

#### S26200 Advantage Plus Series

- Outstanding protection, performance, comfort, and reliability
- Lightweight design is ideal for extended use
- Easy auto-darkening filter and cover-plate installation
- Welding helmet can be used for TIG (>5A), MIG, and stick application
- Internal controls for maximum protection
- Comfortable push and twist ratcheting headgear adjustment
- Comes complete with grind mode/grinding warning
- Designed for serious hobbyists, full-time welders, fabricators, and general automotive applications
- Design allows for use of magnifier plate
- Meets and exceeds ANSI Z87.1 and CAN/CSA-Z94.3 standards
- CE certified



S26200



S27720

**PROD. NO.**    **Description**

**S27720**    Replacement ADF filter

**S27006**    Replacement Headgear

**S19452**    Replacement Cover Plates

PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	Power Control	Shade Control	Switching Speed	Sensitivity	Delay	Dark to Light	No. of Sensors
<b>S26200</b>	4.5 x 5.25"	2.36" x 3.94"	4, 9 to 13	Automatic	Internal	.08 ms	Adjustable	Adjustable	0.1 s–0.9 s	4





**5.56** sq. in.  
**VIEWING AREA!**

## ADVANTAGE SERIES Auto-darkening Helmet

### S26100 Advantage Series Auto-darkening Helmet

- Adjustable sensitivity and delay controls
- Lightweight design is perfect for extended use
- Welding helmet can be used for TIG (>5A), MIG, and stick application
- Offers excellent head and neck protection
- Comes complete with grind mode
- Designed for part-time users, hobbyists, and general automotive applications
- Design allows for use of magnifier plate
- Meets and exceeds ANSI Z87.1 and CAN/CSA-Z94.3 standards
- CE certified



Shade control 4/9-13 and grind switch

Sensitivity control low/medium/high

Delay adjustment slow/medium/fast

PC rear cover plate

S27710

**PROD. NO. Description**

**S27710** Replacement ADF Filter

**S27005** Replacement Headgear

**S19451** Replacement Cover Plates



S26100

PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	Power Control	Shade Control	Switching Speed	Sensitivity	Delay	Dark to Light	No. of Sensors
S26100	3.54" x 4.33"	1.57" x 3.54"	4, 9 to 13	Automatic	External	0.1 ms	L/M/H	S/M/F	0.1 s/0.5 s/0.9 s	4

- Arc flash is a painful condition that can occur if eyes are unprotected and exposed to welding arc rays. To prevent this, make sure to wear a helmet fitted with the proper filter shade, based on your welding application.
- Make sure you don't have any exposed skin while welding, and get fitted with proper personal protective gear.
- Always make sure your work area is clear of flammable materials and debris.
- When leaving your work area, make sure your equipment is turned off and secure.





14979



14982



## WELDING HELMETS—HSL PASSIVE SERIES

### HSL-1 Passive Welding Helmet

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection from sparks, slag, and other physical hazards
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards

PROD. NO.	Description	Case Qty.
14979	HSL-1 Passive Welding Helmet, Black—2" X 4.25"	4
20696	370 Replacement Headgear	1

2" x 4.25"  
FORMAT



Use HHIS 38426 Adaptor

### HSL-2 Passive Welding Helmet—Lift Front

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection from sparks, slag, and other physical hazards
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards

PROD. NO.	Description	Case Qty.
14982	HSL-2 Passive Welding Helmet, Black—2" x 4.25" Lift Front	4
20696	370 Replacement Headgear	1

2" x 4.25"  
FORMAT



Use HHIS 38426 Adaptor

FEATURES LEGENDARY JACKSON HSL SHADOW HELMET SHELL  
 USE SELLSTROM **S16610** 2" X 4.25" SHADE 10 IR REPLACEMENT  
 FILTER PLATE  
 USE SELLSTROM **S19002** 2" X 4.25" CLEAR CR39 REPLACEMENT  
 COVER PLATES FOR FILTER PROTECTION



## WELDING HELMETS—HSL PASSIVE SERIES

### HSL-100 Passive Welding Helmet

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection from sparks, slag, and other physical hazards
- ADF adaptable
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards

4.5" x 5.25"  
FORMAT

PROD. NO.	Description	Case Qty.
14975	HSL-100 Passive Welding Helmet, Black—4.5" x 5.25"	4
16642	Replacement Light Leak Gasket	12
20696	370 Replacement Headgear	1



Use HHIS 38426 Adaptor

FEATURES LEGENDARY JACKSON HSL SHADOW HELMET SHELL  
USE SELLSTROM **S16710** 4.5" X 5.25" SHADE 10 IR REPLACEMENT FILTER PLATE  
USE SELLSTROM **S19004** 4.5" X 5.25" CLEAR CR39 REPLACEMENT COVER PLATES FOR FILTER PROTECTION

# JACKSON®

SAFETY



14975



WELDING HELMETS—PASSIVE

## WELDING HELMETS—290 SERIES

### 290 Series Welding Helmets

- Sellstrom's 290 Series welding helmets have been an industry leader for decades
- **Made in the USA**—our most-popular passive welding helmet series
- Moulded from Super Tuff nylon—lighter than fibreglass and extremely durable
- Extended crown provides greater overhead protection
- Specially designed rigid neck bib provides superior protection from spatter
- Patented Sel-Snap lens-retention system provides easy loading of filter, cover, and protective plates
- Provides maximum operator comfort and safety
- Sold without filter
- Meets ANSI Z87.1 standards and are CUL certified to CAN/CSA Z94.3 standards
- Also CE certified

# sellstrom®



S29501



### 290 Series—2" x 4.25" Welding Helmets Only

- 2" x 4.25" welding helmet only (without filter)

PROD. NO.	Colour	Bezel Type	Retention System	Helmet Coating
<b>S29501</b>	Black	Fixed front	Sel-Snap	None

USE SELLSTROM **S16610** 2" X 4.25" SHADE 10 IR REPLACEMENT FILTER PLATE  
USE SELLSTROM **S19002** 2" X 4.25" CLEAR CR39 REPLACEMENT COVER PLATES FOR FILTER PROTECTION





Smartweld

GILSON


# AUTO-DARKENING FILTERS



ADF FILTER REPLACEMENTS

## 2" X 4.25" REPLACEMENT (DROP-INS)

Replacement or “drop-in” ADFs are designed to fit most 2" x 4.25" welding helmets, including Jackson’s popular HSL-1, HSL-2, and the Sellstrom 280 and 290 Series. They are an economical replacement ADF filter, or an ideal method to upgrade passive welding helmets into an ADF format. Jackson introduces two new models, the exclusive Smartweld®, which incorporates a convenient USB-C rechargeable system and variable shade ranges from 4/9–13, and the more economical Solera® II offering a fixed 3/11 shade range. Both offer True Colour technology and are TIG rated >5 amps. The best in the business—now from Jackson!



### Smartweld® Variable Shade ADF

- The Smartweld is a newly innovative product that can be recharged!
- ADF is compatible with a USB-C charger
- Charge time four hours
- Charge lasts approximately one month of usage (160 hours)
- TIG amp rated >5A
- Comes in attractive, ready-to-use colour POP counter display —10 pieces/display
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards
- CE certified
- **A Jackson Safety exclusive!**




46411 POP DISPLAY BOX

PROD. NO.	Description	Case Qty.
46411	Smartweld ADF, USB-C Rechargeable, Shade 4/9–13, 2" x 4.25"	10
46911	Smartweld Internal Safety Plate, 2" x 4.25"	100

PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	True Colour	Modes	Optical Clarity	Switching Speed	Controls	Weight	No. of Sensors	TIG Rating	Warranty
46411	2" x 4.25"	1.42" x 3.62"	4, 9 to 13	Yes	Welding	1/1/1/2	1/1,667 sec.	Analog	1.4 oz.	2	>5 A	2 years



JACKSON SAFETY



# AUTO-DARKENING FILTERS



## 2" X 4.25" REPLACEMENT (DROP-INS)

ADF FILTER REPLACEMENTS



### Solera II Shade 10 Welding ADF

- The Solera II improves upon the highly demanded Solera product
- The ADF is a universal fit for most 2" x 4.25" welding helmets
- Compatible with HSL-1, HSL-2, and many other brands of welding helmets
- Sleek, ultralight design at only 1.3 oz. will ensure maximum comfort
- Solar powered
- Comes in attractive, ready-to-use colour POP counter display —10 pieces/display
- Meets or exceeds ANSI Z87.1 and CAN/CSA Z94.3 standards.
- CE certified



46410 POP DISPLAY BOX

PROD. NO.	Description	Case Qty.
46410	Solera II ADF Shade 3/10, 2.5" x 4.25"	10
46910	Solera II Internal Safety Plate, 2" x 4.25"	100

PROD. NO.	Filter Dimensions	Viewing Area	Shade Range	True Colour	Modes	Optical Clarity	Switching Speed	Controls	Weight	No. of Sensors	TIG Rating	Warranty
46410	2" x 4.25"	1.42" x 3.62"	3, 10	Yes	Welding	1/1/1/2	1/1,667 sec.	N/A	1.3 oz.	2	>5 A	2 years



## WELDING FILTER PLATES—PASSIVE

- Traditional welding filter plates are widely used in the industry
- Unlike auto-darkening filters, welding filter plates are a passive fixed-shade system—you choose the right filter shade for your application as mandated by ANSI Z49.1-2005 standards
- Available in two common sizes: 2"H x 4.25"W and 4.5"H x 5.25"W
- These filters fit several Jackson and Sellstrom models, as well as most other welding helmets in the market



S16610

### Polycarbonate Passive Filter Plates

- Polycarbonate passive filter plates offer outstanding impact strength and optical clarity
- The most-popular passive filter plate in the market
- Meet ANSI Z87.1 high-impact standards


PROD. NO.	Plate Size	Shade	Type	Case Qty.
<b>S16610</b>	2" x 4.25"	10 IR	Polycarbonate	50
<b>S16710</b>	4.5" x 5.25"	10 IR	Polycarbonate	15

## COVER PLATES

- Cover plates are positioned in front of passive and ADF filters, providing an economical "shield" that protects the more-expensive filter plates from pitting and scratching
- As the cover plate becomes damaged, you simply replace it with a new plate

### Cover Plates—CR-39 Long Life

- CR-39 clear cover plates provide the best protection from pitting and scratching
- Our most-popular cover plates
- Made of durable, heat-resistant materials containing CR-39 Monomer
- Combines the optics of glass with the added durability of thermostat material
- Superior resistance to scratches, heat, and chemicals
- Meets ANSI Z87.1 Basic Impact standards and Federal Specs GGG-H-211D (not to be used as an impact plate)
- Refractive Index Value—1.498
- Abbe Value—59.3
- Density—1.31g/cm<sup>3</sup>
- Plate thickness—.056"
- Individually bagged



S19002

PROD. NO.	Plate Size	Shade	Type	Case Qty.
<b>S19002</b>	2" x 4.25"	Clear	CR-39	100/box
<b>S19004</b>	4.5" x 5.25"	Clear	CR-39	50/box

**Cover Plates & Components**

PROD. NO.	Description	Size	Material	Case Qty.
16642	Light Seal Gasket	4.5" x 5.25"	Polycarbonate	12 per Pack

**MAGNIFIER PLATES**

- Magnifier plates are positioned behind either the passive or ADF welding filter
- Magnifier plates offer the feature of magnifying your vision, much like reading glasses for improved vision where necessary
- Made of high-quality polycarbonate material
- Provide great visual clarity and scratch-resistance characteristics
- Available in a wide range of dioptic ratings from 1.50–2.50

PROD. NO.	Plate Size	Shade	Dioptic Rating	Type	Case Qty.
S18150	2" x 4.25"	Clear	1.50	PC	1 ea. /200/box
S18200	2" x 4.25"	Clear	2.00	PC	1 ea. /200/box
S18250	2" x 4.25"	Clear	2.50	PC	1 ea. /200/box




S18150

**DID YOU KNOW?**  
Jackson carries two series of drop-in ADF filters for easy conversion of a passive welding helmet!



Exclusive rechargeable USB-C port

Shade range 4, 9–13



True Colour

Ultra lightweight 1.3 oz.

True Colour



Fits majority of 2" x 4.25" helmets

For more details refer to pages 101-103



## WORK WITH PRECISION

**PIPE MARKERS**

**LEVELS AND  
FLANGE-ALIGNING TOOLS**

**WRAP-A-ROUND**

## PIPE & TOOL MARKING ACCESSORIES

Curv-O-Mark layout tools and systems have earned a reputation for quality and consistency across a wide range of industries. Easy to use and made for an extended working life, these are tools to help bring precision to any layout task.

**CURV-O-MARK**<sup>®</sup>



# PIPE MARKERS



## Standard Markers

The Curv-O-Mark marker consists of an X-frame, calibrated protractor, and a triple-jointed marking arm adjustable to the line to be scribed. A soapstone crayon is required for each radius marker (not supplied).

PROD. NO.	Description	Pipe Diameter	Case Qty.
14771	#1 Curv-O-Mark Marker—Standard	1.5" to 18" diameter	1
14772	#2 Curv-O-Mark Marker Combo Adaptor	Use with #1 Marker	1
14773	#4 Jumbo Curv-O-Mark Marker	8" to 48" diameter	1
14774	#5 Jumbo Marker Combo Adaptor	Use with #4 Marker	1



## Radius Markers

Radius markers have sturdy friction joints to maintain rigidity and accuracy, and are made from lightweight, rustproof aluminum for extended life. A soapstone crayon is required for each radius marker.

PROD. NO.	Description	Pipe Diameter	Case Qty.
14780	Radius Marker—Mini	Up to 8" in radius	1
14781	Radius Marker—Small	Up to 20" in radius	1
14782	Radius Marker—Standard	Up to 24" in radius	1
14783	Radius Marker—Jumbo	Up to 10" in radius	1

## Centering Heads

Curv-O-Mark centering heads aid in the settings of centrelines, establishing angles and marks for butt-ins, locating points inside pipes and tanks, laying out keyways, and measuring declivity.

PROD. NO.	Description	Pipe Diameter	Case Qty.
14775	#6 Centering Head—Standard	1/2" to 4" diameter	1
14776	#7 Centering Head—Jumbo	1"+ diameter	1



CURV-O-MARK PIPING TOOLS



14771




14772



14773



14774



14780

14781

14782

14783



14775

14776

JACKSON SAFETY



### Multi-Trammel Heads

Using standard half-inch pipe as a trammel bar, heads feature radius set points cast in alignment with marking pointers for easy setting. Equipped with 1/4" screws and squared on the back side of perpendicular alignment. The stationary head holds a 1/4" case-hardened centre point. Movable head features a 1/8" hardened steel scribe. Marks from 1.5" circle to any diameter needed, depending on length of pipe used as a trammel bar. Allen wrench, soapstone, scribe, and pointer also included.

PROD. NO.	Description	Pipe Diameter	Case Qty.
14785	#19 Multi Trammel Heads	All	1



### Pro-Mag Level

A lightweight, easy-to-use tool for determining angles. Unit is ideal for the pipe fitter, welder, jig builder, or anyone who has to determine angles or do setup work. Includes two cast-in 25 lb-pull magnets that hold securely to any steel surface. Unit has a 360° adjustable DSL with two 90° quadrants graduated in 2.5° increments. Cast-in tables are used to convert degree-of-angle to rise-in-inches-per-foot or millimetres-per-metre. A groove on the bottom edge permits use on a small pipe.

PROD. NO.	Description	Case Qty.
14777	#8 Pro Mag Level	1



### Dial-Angle Flange Level

A versatile tool that can be used as a dial degree utility level or, with attachments, for two-holing flange alignment.

PROD. NO.	Description	Case Qty.
14786	#20 Dial-Angle Flange Level—Nonmagnetic; can be used on PVC Pipe	1



### Universal Level

The universal level is a multi-purpose tool that features a 360° adjustable protractor dial that ensures accurate levelling and permits setting a predetermined pitch of a string of pipe, setting the angle of laterals to a precise degree, truing vertical runs and two-holing flanges. For structural steel workers, the powerful holding magnets provide an extra hand. Electricians will find the level useful in laying out and lining up heavy conduit.

PROD. NO.	Description	Case Qty.
14796	#33 Universal Level	1



### Pipe Flange Aligner

Fast, accurate pipe construction is possible with this self-determining flange-aligning tool. The aligner inserts easily into pipe, centres snugly against the inside pipe diameter, and automatically aligns with the pipe axis.

PROD. NO.	Description	Case Qty.
14779	#10 Pipe Flange Aligner	1

## LEVELS & FLANGE-ALIGNING TOOLS

CURV-O-MARK®

**JACKSON**  
SAFETY

### Universal Level

The DSL is an adjustable bubble protractor used with a number of Curv-O-Mark tools. The protractor covers 180° through two 90° quadrants, reading in 2.5° increments. The bubble is cast in the aluminum dial.

PROD. NO.	Description	Pipe Diameter	Case Qty.
14797	Curv-O-Mark Dial-Set-Level (DSL)	Adjustable Bubble Protractor	1



### Flange-Aligner Base

Removes the difficulty of flange aligning and squaring. Tool holds a square in the needed position without tying up one's hands. Base is notched at either end for ease in aligning on the centre line of the pipe. Two 25 lb-pull, cast-in magnets for holding either a flat horizontal or vertical position. Base accepts either leg of a standard or combination aluminum square and works on pipe diameters from 1+", requiring only the extension of the legs of the square being used to accommodate larger diameters.

PROD. NO.	Description	Case Qty.
14795	#32 Flange-Aligner Base	1



### Centering Pin

A hardened steel pin for use with the standard centering head. Suitable for marking, but should not be used as a centre punch.

PROD. NO.	Description	Case Qty.
14798	Centering Pin	1



## WRAP-A-ROUND

CURV-O-MARK®

Inexpensive tools for marking straight lines around pipe; made from flexible gasket material, providing resistance to both heat and cold. All Wrap-A-Rounds are available in two colours; these designate material type and service temperature. GG (grey) material is used for high temperature applications (up to 550°F) and B (black) material is used for temperatures up to 350°F. Both material types are asbestos-free.

PROD. NO.	Description	Colour	Size	Pipe Diameter	Case Qty.
14752	Wrap-A-Round 164B EX Medium	Black	3.88" x 4'	3" to 6"	1
14753	Wrap-A-Round 176B Large	Black	3.88" x 6'	3" to 10"	1
14754	Wrap-A-Round 177B EX Large 7'	Black	5" x 7'	4" to 12"	1
14756	Wrap-A-Round 179B EX Large 9'	Black	5" x 9'	6" to 16"	1
14763	Wrap-A-Round 164GG Medium	Gray	3.88" x 4'	3" to 6"	1
14764	Wrap-A-Round 176GG Large	Gray	3.88" x 6'	3" to 10"	1
14766	Wrap-A-Round 177GG EX Large 7'	Gray	5" x 7'	4" to 12"	1
14767	Wrap-A-Round 179GG EX Large 9'	Gray	5" x 9'	6" to 16"	1



CURV-O-MARK PIPING TOOLS

JACKSON SAFETY

# OUR TRUSTED FAMILY OF TOOL, EQUIPMENT & SAFETY BRANDS



## JET EQUIPMENT & TOOLS



- Abrasives & Cutting Tools
- Air Tools & Air Line Accessories
- Automotive Tools
- Hand Tools
- Lubrication & Fluid Transfer
- Material Handling
- Shop Equipment
- Tool Storage



## STRONGARM LIFTING & HYDRAULIC EQUIPMENT



- Jacks & Stands
- Specialty Truck Equipment
- Industrial Pumps & Rams
- Shop Presses



## STARTECH LIGHTING



- Flashlights
- Intrinsically Safe Flashlights
- Worklights
- Cords and Cord Adapters



## ITC TOOLS & EQUIPMENT



- Air Tools
- Automotive Tools
- Hand Tools
- Shop Equipment



## ADA SOLUTIONS



- Radius Systems
- IronDome® Cast Iron
- Cast-In-Place Composite Shell Paver
- Cast-In-Place (Wet Set) Replaceable Panel
- Surface Applied Units



## DUE NORTH



- Industrial & Commercial Traction Aids
- Consumer Traction Aids
- Footwear Accessories

# OUR TRUSTED FAMILY OF TOOL, EQUIPMENT & SAFETY BRANDS



## JACKSON SAFETY

- Face Protection
- Eye Protection
- Head Protection
- Hearing Protection
- Respiratory Protection
- Welding Safety
- Welding Curtains & Blankets
- Curv-O-Mark Measuring Tools



## SELLSTROM

- Face Protection
- Eye Protection
- Eyewash Stations
- Germicidal Cabinets
- Hearing Protection
- Knee Protection
- Welding Safety



## PEAKWORKS FALL PROTECTION

- Harnesses
- Lanyards
- Self-Retractable Lifelines
- Anchorage Connectors
- Rescue Products
- Tool Tethering System



## PIONEER

- Hi-Visibility Safety Apparel
- Flame Resistant Apparel
- Workwear & Rainwear
- Foot Protection
- Welding Apparel
- Hand Protection
- Traffic Safety
- Disposable Apparel



## RANPRO

- Rainwear
- Flame Resistant Apparel
- Welding Apparel
- PU Boots
- Arc Flash Rated Apparel
- Chemical Resistant Apparel



## K1 SERIES

- Professional Mid-Sole Traction Aids
- Intrinsically Safe Mid-Sole Traction Aids



# INDEX

## A

Acetate . . . . . 19, 21  
 Advantage . . . . . 24  
 Advantage Plus . . . . . 36  
 Advantage Series . . . . . 38, 65  
 Auto-Darkening Filter . . . . . 82, 101, 103

## B

B5 . . . . . 41

## C

C10 . . . . . 67, 69  
 Centering Heads . . . . . 107  
 Centering Pin . . . . . 109  
 Cover Plates . . . . . 104

## D

Dual-Angle Flange Level . . . . . 108  
 Digital Infrared Thermometer . . . . . 27  
 Disposable Dust Mask . . . . . 72  
 DP4 . . . . . 12, 13, 14, 51  
 Drybrow . . . . . 71

## E

Ear Muffs . . . . . 62, 64, 65

## F

F4XP . . . . . 5, 22, 23, 25, 51  
 F10 Face Shield . . . . . 25  
 F20 Face Shield . . . . . 25  
 F50 Face Shield . . . . . 25  
 Flange-Aligner Base . . . . . 109

## G

GM500 . . . . . 47  
 GPL500 . . . . . 46, 47  
 GPL550 . . . . . 47  
 Gravit-Eye . . . . . 55  
 Guest-Gard . . . . . 39

## H

H10 Disposable Earplugs . . . . . 59  
 H70 . . . . . 62  
 H225 . . . . . 65  
 Hard Hat . . . . . 67, 70, 71  
 Hard Hat Interchange System . . . . . 70, 71  
 HLX (Halo X) . . . . . 5, 93  
 HP424 . . . . . 64  
 HP427 . . . . . 64  
 HP431 . . . . . 64  
 HPD425 . . . . . 65  
 HPS428 . . . . . 65  
 HSL-1 . . . . . 5, 98  
 HSL-2 . . . . . 5, 98

HSL-100 . . . . . 5, 99  
 HSL (Shadow) . . . . . 5, 93

## I

Insight ADF Welding Helmet . . . . . 93  
 IRUV . . . . . 25, 47

## L

Light Seal Gasket . . . . . 105

## M

Magnifier Plates . . . . . 105  
 Maxview . . . . . 5, 16, 17, 39, 51  
 MFS320 . . . . . 26, 51  
 Monitor Germicidal Cabinets . . . . . 50  
 Multi-Trammel Heads . . . . . 108

## N

N95 Particulate Respirator . . . . . 72, 73  
 N99 Particulate Respirator . . . . . 72, 73

## O

Odyssey II . . . . . 44, 45, 49  
 Optical Class . . . . . 82, 83  
 OTG . . . . . 38, 39

## P

P95 Particulate Respirator . . . . . 72, 73  
 PETG . . . . . 25  
 Pipe Flange Aligner . . . . . 108  
 Polycarbonate . . . . . 10, 12, 14, 16, 17, 18, 20, 21, 22, 24, 25, 30, 32, 34, 36, 38, 40, 44, 46, 47, 48, 104  
 Polypropylene . . . . . 70  
 Pro-Mag Level . . . . . 108

## Q

Quad 500 . . . . . 5, 8, 10, 51, 71

## R

R05 Disposable Dust Mask . . . . . 72, 73  
 R10 Respirator . . . . . 72, 73  
 R20 Respirator . . . . . 72, 73  
 R30 Respirator . . . . . 72, 73  
 Radius Markers . . . . . 107  
 Rebel . . . . . 86, 87

## S

S16610 . . . . . 104  
 S16710 . . . . . 104  
 S18150 . . . . . 105  
 S18200 . . . . . 105  
 S18250 . . . . . 105  
 S19002 . . . . . 104  
 S19004 . . . . . 104  
 S19451 . . . . . 96  
 S19452 . . . . . 95  
 S19454 . . . . . 94  
 S22185 . . . . . 53  
 S22448 . . . . . 48

S23401 . . . . . 65  
 S23403 . . . . . 58, 64  
 S23404 . . . . . 64  
 S23406 . . . . . 64  
 S23407 . . . . . 65  
 S23409 . . . . . 65  
 S23410 . . . . . 58, 59  
 S23411 . . . . . 59  
 S23412 . . . . . 59  
 S23413 . . . . . 59  
 S23414 . . . . . 59  
 S23420 . . . . . 60  
 S23421 . . . . . 60  
 S23422 . . . . . 60  
 S23430 . . . . . 61  
 S23431 . . . . . 61  
 S23469 . . . . . 52  
 S23470 . . . . . 52  
 S23480 . . . . . 52  
 S23490 . . . . . 52  
 S26100 . . . . . 96  
 S26200 . . . . . 95  
 S26400 . . . . . 94  
 S27005 . . . . . 96  
 S27006 . . . . . 94, 95  
 S27710 . . . . . 96  
 S27720 . . . . . 95  
 S27740 . . . . . 94  
 S29501 . . . . . 99  
 S30100 . . . . . 24  
 S30110 . . . . . 24  
 S30120 . . . . . 24  
 S30310 . . . . . 24  
 S32000 . . . . . 15  
 S32001 . . . . . 15  
 S32010 . . . . . 13, 14, 15  
 S32011 . . . . . 14, 15  
 S32030 . . . . . 15  
 S32100 . . . . . 15  
 S32151 . . . . . 12, 13, 14, 15  
 S32152 . . . . . 15  
 S32155 . . . . . 15  
 S32181 . . . . . 13, 14, 15  
 S32182 . . . . . 15  
 S32183 . . . . . 15  
 S32188 . . . . . 15  
 S32210 . . . . . 14, 15  
 S32251 . . . . . 13, 14, 15  
 S32261 . . . . . 15  
 S32281 . . . . . 13, 14, 15  
 S35000 . . . . . 21  
 S35040 . . . . . 21  
 S35100 . . . . . 21  
 S36000 . . . . . 19  
 S36040 . . . . . 19  
 S36050 . . . . . 19  
 S37599 . . . . . 24  
 S37600 . . . . . 25  
 S37601 . . . . . 25  
 S38110 . . . . . 18, 19  
 S38140 . . . . . 18, 19

S38150 . . . . . 18, 19  
 S39100 . . . . . 21  
 S39110 . . . . . 20, 21  
 S39140 . . . . . 20, 21  
 S39210 . . . . . 20  
 S70000 . . . . . 32, 33  
 S70001 . . . . . 33  
 S70002 . . . . . 33  
 S70701 . . . . . 38  
 S70703 . . . . . 40  
 S70704 . . . . . 40  
 S70705 . . . . . 40  
 S70711 . . . . . 38  
 S70721 . . . . . 38  
 S70731 . . . . . 38  
 S71100 . . . . . 36  
 S71101 . . . . . 36  
 S71102 . . . . . 36  
 S71200 . . . . . 36  
 S71201 . . . . . 36  
 S71202 . . . . . 36  
 S71203 . . . . . 36  
 S71400 . . . . . 37  
 S71401 . . . . . 37  
 S71402 . . . . . 37  
 S71910 . . . . . 32, 33  
 S71911 . . . . . 33  
 S71912 . . . . . 33  
 S72000 . . . . . 34  
 S72001 . . . . . 34  
 S72002 . . . . . 34  
 S72100 . . . . . 35  
 S72101 . . . . . 35  
 S72102 . . . . . 35  
 S72300 . . . . . 34, 35  
 S72301 . . . . . 35  
 S72302 . . . . . 35  
 S72400 . . . . . 35  
 S72401 . . . . . 35  
 S72402 . . . . . 35  
 S73401 . . . . . 38  
 S73402 . . . . . 38  
 S73421 . . . . . 38  
 S73471 . . . . . 38  
 S73481 . . . . . 38  
 S73601 . . . . . 37  
 S73611 . . . . . 37  
 S73621 . . . . . 37  
 S73631 . . . . . 37  
 S73801 . . . . . 39  
 S74201 . . . . . 37  
 S74202 . . . . . 40  
 S74203 . . . . . 40  
 S74204 . . . . . 40  
 S74241 . . . . . 37  
 S74271 . . . . . 37  
 S74751 . . . . . 41  
 S76301 . . . . . 39  
 S76371 . . . . . 39  
 S79100 . . . . . 38  
 S79103 . . . . . 39





## OUR TRUSTED FAMILY OF TOOL, EQUIPMENT & SAFETY BRANDS

**JACKSON**  
SAFETY

**sellstrom**



**K1**  
SERIES

**duenorth**

**ranpro**



**STRONGARM**



### CANADA HEAD OFFICE

49 Schooner Street  
Coquitlam, British Columbia  
Canada V3K 0B3  
TEL: 604-523-8665  
FAX: 604-526-5381

### WESTERN CANADA & TERRITORIES

TOLL FREE TEL: 1-800-472-7685  
TOLL FREE FAX: 1-800-663-7742  
SALES TEL: 604-523-7600

### EASTERN CANADA

TOLL FREE TEL: 1-800-387-3879  
TOLL FREE TEL: 1-800-363-2885 (French)  
TOLL FREE FAX: 1-800-267-3310  
SALES TEL: 905-565-8661  
SALES FAX: 905-565-7266



0 59629 89557 3  
ITEM # 899930  
JACKSON CATALOGUE (ENG)

[surewerx.com](http://surewerx.com)